



#### Introduction

Welcome to the 2021 COBA Africa catalogue, which is packed with all our latest floor matting and safety products.

COBA Africa is part of the globally successful COBA International group, headquartered in the United Kingdom with over 40 years' experience in the matting manufacturing industry. The last two years has seen exciting developments within COBA's matting business in South Africa.

In 2014, COBA Plastics (Pty) Ltd acquired Rubaloy, a Cape Town based company specialising in the manufacture of recycled rubber flooring products. Expansion continued in 2015 when Matco, a long-established matting and flooring business based in Johannesburg joined our ever-evolving COBA family.

Bringing together all our respective market leading brands, expertise and resources, we now trade under the umbrella of COBA Africa (Pty) Ltd operating from our facilities in Cape Town and Johannesburg. Our prime locations give us a logistical advantage. We can efficiently supply customers throughout South Africa, from the North West of the region to the Western Cape.

As you will see from this catalogue, our product range is diverse and extensive. There are flooring and matting products for many different environments. From durable anti-slip GRP flooring and high quality, impressive entrance mats, to safety matting for industrial, catering or leisure areas. With so much choice, you can be assured that COBA Africa has the perfect, competitively priced solution for your building.

If you are responsible for health and safety in your organisation, then we have also included some useful information on standing safety in the workplace. Find out how anti-fatigue/anti-slip matting can help to reduce musculoskeletal disorders and accidents in the workplace. Read our case studies too.

COBA Africa is not just about flooring and matting. We also supply a range of safety knives in our Moving Edge collection, details of which can be found in this catalogue.

Our knowledgeable sales advisors are just a telephone call or email away, and they will be delighted to help with your matting, flooring or safety knife enquiry.

#### What We Do Differently Personal 40 Years Free Sample of Matting Customer Service **Expertise** Service Localised Distributor Huge Stock Supply Holding Support **Global Reach Site Survey Next Day Local Service** and Installation **Available** Services

Workplace Matting	06
Africa's most comprehensive range of anti-fatigue and non-slip safety matting.	
ESD Mats & Equipment	26
Electrostatic dissipative matting and accessories.	
Floor Level Safety Accessories	30
Anti-slip floor tapes, cable protectors and GRP safety accessories.	
Floor Coverings	36
A range of permanent and temporary rubber and PVC floor coverings.	
Matco Entrance Matting Systems	38
A range of durable matting systems for busy entrance areas, such as retail, schools, hospitals and transport terminals.	
COVID-19 Response Range	46
Products and guidance on managing facilities during the Coronavirus pandemic in 2020.	
Entrance Mats	70
Internal and external entrance doormats for every environment.	
Mats for Catering	80
Anti-slip matting for the catering industry.	
Mats for Leisure	90





## Localised Supply & Support

Through our local offices we support a vast network of trusted distributors putting COBA products to work across the globe.

- Johannesburg South Africa
- Cape Town South Africa
- Fleckney United Kingdom
- Paris France
- Kleinenbroich Germany
- Krakow Poland
- Terchova Slovakia
- Bucharest Romania
- Distribution Centre

Sales Office

## **Product Testing Guide**

In partnership with the internationally recognised SATRA, we have tested over 40 product lines to the latest standards in slip and fire safety, and ESD ratings.



#### Fire Test: BS EN 13501-1

Reaction to fire classification
The classification is split into three parts:

The main part of the classification is its letter – A1, A2, B, C, D, E and F. A1 (Non-combustible) is the highest level of performance.

There is a smoke classification of s1, s2 or s3. s1 is the highest level of performance.

There is a classification of flaming droplets of d0, d1 or d2. d0 is the highest level of performance.



#### ESD Test: IEC 61340-5-1

Protection of electronic devices from electrostatic phenomena - General requirements



## Pendulum Slip Test: BS 7976-2:2002+A1:2013 Internationally recognised British standard that uses a pendulum

device to measure a surface material's slip potential.

Slip Potential	PTV
High slip potential	0 – 24
Moderate slip potential	25 – 35
Low slip potential	36+

#### Ramp Slip Test: DIN 51130:2014

Internationally recognised German standard that measures slip potential by the angle at which the surface material loses friction.

R Value	Category Static Friction is	Angle of Inclination
R9	Low	6° to 10°
R10	Normal	>10° to 19°
R11	Above Average	>19° to 27°
R12	High	>27° to 35°
R13	Very High	>35°

#### Ramp Slip Test: DIN 51097

Internationally recognised German standard that for testing surface materials in wet, soapy conditions such as those found in leisure industry.

Classification	Α	В	С
Slip Angle	12 – 17	18 – 23	>24
CoF	0.21-0.31	0.32-0.42	>0.45



### Standing Fatigue in the Workplace

#### What is a Musculoskeletal Disorder?

Musculoskeletal Disorders (MSDs) are injuries or conditions affecting the movement of the human body, or the loco-motor apparatus. They are problems that affect the muscles, tendons, ligaments, vascular system, nerves, soft tissues, bones and

Very often such problems creep in gradually. They can affect both the upper and lower limbs, as well as the back. Many MSDs are preventable.

MSDs are currently the most common work-related health condition in the EU. They are expected to affect some 50% of the population by 2030.1

#### The Problem with Standing

When standing still, gravity causes fluid to settle in the feet and legs, which in turn can create pooling and swelling. Standing puts the circulatory system under pressure, in particular the Venous System, making the heart work harder. Regular standing in static positions can slowly damage the elasticity of soft tissues. This degenerative damage can lead to rheumatic diseases.

As tiredness sets in joints such as the ankles and knees can tense up and become locked. There is a tendency to shift weight from one side to the other, increasing the release of muscular energy which can lead to fatigue.

Found Anti-Fatigue matting had helped to reduce pain or serious health complaints of staff<sup>4</sup>



#### Anti-Fatigue matting can help...

Anti-Fatigue matting can relieve the pressure from standing. It has been scientifically proven to reduce discomfort and fatigue, especially to the lower and upper legs, and lower back areas compared to standing on hard floor surfaces.

#### How does Anti-Fatigue matting work?

Anti-Fatigue mats encourage regular foot movement (even in static positions). The feet subtly adapt to the mats cushioned surface, promoting healthy circulation. This movement, although subtle, makes the foot and calf muscles expand and contract, activating the Venous Pump pushing blood back up to the heart against the force of gravity. This naturally occurs when we walk. Anti-Fatigue mats help to replicate this action even when the user is standing in a static position.

Over **45**%

days

Average time lost due to each MSD case<sup>2</sup>

6.6 million

Working days lost to MSDs in the UK in 2017-18<sup>2</sup>

Download our Standing Safety ebook #StandUpForHealth for more information





#### Picking the right matting product

each time with **MatBrain™**, the ultimate product selector support tool.

Also available as a mobile app Mats in Mind on the Apple and Android app stores!





#### **Material Guide**

<b>CR</b> Chloroprene Rubber	<b>EPDM</b> Ethylene propylene diene monomer rubber	<b>GRP</b> Glass reinforced plastic
LDPE Low-density polyethylene	Natural Rubber Sourced from the latex of the rubber tree	<b>NBR</b> Nitrile butadiene rubber
<b>PA</b> Polyamide	PC Polycarbonate	<b>PE</b> Polyethylene
<b>PET</b> Polyethylene terephthalate	<b>PP</b> Polypropylene	<b>PU</b> Polyurethane
PVC Polyvinyl chloride	SBR Styrene butadiene rubber	Vinyl Generic term for vinyl polymers

N	Vorkplace latting elector	Comfort Factor	Wear Rating	Slip Rating	Suitable for Wet Environments	Suitable for Oily Environments	Fire Tested	Suitable for High Voltage Environments	Static Dissipative	P.
	ESD Rubber Mats		• • • •	• • •					~	27
	COBArib	•	• • •	• • • •						25
	COBAswitch BS EN: 61111	•	• • • •	• •				~		26
	COBAswitch VDE	•	• • • •	••••				~		26
Dry	Orthomat® Standard	•••	•••	• •			~			7
En	Bubblemat	• • •	• • • •	• • •						11
Environments	Orthomat® Comfort Plus	• • • •	• • • •	• • • •						8
me	Orthomat® Premium	• • • •	• • • •	• •						9
stne	Diamond Tread	• • • •	• • • •	• • •			<b>~</b>			10
	Orthomat® Office	• • • •	• • • •	• • •						6
	COBAelite® Bubble	• • • •	• • • •	• • • •			~			18
	COBAelite® Diamond	• • • •	• • • •	••••						13
	COBAelite® ESD	• • • •	• • • •	••••					~	27
	COBAscrape	•	• • •	• • • •	~	~				19
	Flexi-Deck	•	• • •	• • •	~	~				21
	DeckStep	• •	• • • •	• • • •	~	~				21
	Unimat	• •	• • • •		~					17
8	COBAmat® Standard	• •	• • • •	• • • •	~	~	~			24
Wet & Dry Environments	Comfort-Lok	• • •	• • •	• • •	~	~				9
D	Rampmat	• • •	• • • •	• • • •	~					16
y E	K-Mat	• • •	• • • •	• • • •	~	~				16
nvir	Solid Fatigue-Step	• • • •			~	~				14
onn	Fatigue-Step	• • • •	• • • •	• • • •	~					14
1en	Ringmat Honeycomb	• • • •		• • • •	~					18
Ś	SitePath	• •	• • •	• • • •	~					24
	Hygimat	• • • •			~	~	~			20
	COBAdeluxe	• • • •		• • • •	~					17
	Tough Deck MK3	• • •			~	~				13
	Fatigue Lock	• • • •	• • • •	• • • •	~					17





## Orthomat® Office The anti-fatigue mat for office workers

Improves overall posture and wellbeing when standing in static positions. • Provides just the right balance between cushioning and foot support for users of sit/standing desks. • Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. • Textured underside keeps this anti-fatigue mat in place. • Gentle bevelled edges to reduce trip hazards, while creating a neat 'anti-curl' finish that sits flush to the floor. • Highly durable, can withstand a wide range of footwear. • Handy size for ease of handling making lifting and moving an effortless task. • Fits into most office workstations. • Material: PU • Product Height: 16mm








# Chairmats 100% Recycled PVC Interlocking Floor Tiles

An ideal low cost solution for protecting floor surfaces. Easy DIY • installation - no adhesive required. • Installation instructions provided. • Made from 100% recycled PVC – non-conductive and fire resistant. • Each Chairmat consists of smooth interlocking tiles and edging. • Suitable for dry indoor environments • Product Height 6mm

Sizes	Colour	Part Code	Weight:
1m x 1m x 5mm	4 black tiles & 8 edges	LGTE010001	6 Kg
1m x 1.5m x 5mm	6 black tiles &10 edges	LGTE010002	10 KG
1 x 1m x 6.8mm	4 colour tiles & 8 edges	LGTE020001	
1m x 1.5m x 6.8mm	6 colour tiles & 10 edges	LGTE020002	



# Orthomat® Standard Quickly tackle standing fatigue in dry workplaces

Versatile single layer foam anti-fatigue mat. • Insulates standing workers against the effects of cold concrete floors.

- Lightweight, so easy to transport and reposition.
   Best suited to dry environments.
   High visibility version available with bright yellow borders.
   Ideal for lighter industrial use.
   Textured surface provides attractive appearance.
- Available in mats and rolls.
  Fire tested to BS EN 13501-1.
  Material:
  Open Cell PVC (Foam)
  Product Height:
  9.5mm










Sizes	Black	Black/Yellow	Weight
0.45m x 0.9m	AF010004	-	-
0,9m x 18.3m	AF010003	-	-
0.9m x linear meter	AF010003C	-	-
0.6m x 0.9m	-	AF010701	1.31 kg
0.9m x 1.5m	-	AF010702	3.27 kg
0.9m x 18.3m	-	AF010703	40.00 kg
0.9m x linear meter	-	AF010703C	-









# Orthomat® Comfort Plus Thicker foam anti-fatigue mat for dry workplaces

A thicker, single layer foam anti-fatigue mat for maximum levels of comfort. • Insulates against cold concrete floors. • Best suited to dry environments. • Ideal for light or moderate industrial use. • Checkerplate surface provides attractive appearance. • Available in mats and rolls. • Fire tested to BS EN 13501-1 Class Cfl - s1. • Material: Open Cell PVC (Foam) • Product Height: 15mm

Sizes	Black
0.6 m x 0.9 m	OCP010001
0.9 m x 1.5 m	OCP010002
0.9 m x 18.3 m	OCP0100003
0.9 m x per linear metre	OCP010003C




















#### Orthomat® Premium Reduces standing fatigue for those that move at work

Exceptional fatigue-relief properties - a real investment for the workplace. • Dual layer construction for superior comfort and durability. • Tough textured top surface for excellent resilience against wear and tear. • Insulates against the effects of cold concrete floors. • Low density under layer provides extremely effective underfoot cushioning. • Ideal for demanding locations, especially where regular turning is involved. • Tapered edges to reduce trip hazards. • Range of colours available. • Fire tested to BS EN 13501-1. • Material: Open Cell PVC (Foam) • Product Height: 12.5mm














Green







Heavy-duty rubber mats provide a comfortable standing surface for operatives. • Available as interlocking modules for long runs, or as a single workstation mat. • Resistant to oil and grease making it ideal for food production areas or in any catering business. • Suitable for high temperature environments. • Slip tested to DIN 51130. • Material: Natural rubber/25% NBR blend • Product Height: 12mm











Sizes	Black	Weight
0.7 m x 0.8 m (edged all round)	CL010004	4.10 kg
0.7 m x 0.8 m (interlocking middle piece)	CL010002	4.10 kg
0.7 m x 0.8 m (interlocking end piece)	CL010001	4.10 kg











#### **Diamond Tread Fatigue relief for welding professionals**

Welders need relief from standing like any other professional. • The heavy-duty top surface is both resilient and fire tested, whilst the soft foam underlayer provides cushioning for the feet. • Ideal for welding bays and demanding industrial use. • Flame retardant top surface (tested to BS EN 13501-1) - so weld sparks aren't an issue. • Loose lay - can be moved easily. • Bevelled edges help avoid creating a trip risk. • Material: Vinyl top surface with PVC foam backing (fusion bonded, not glued) • Product Height: 15mm



Sizes	Black
0.6 m x 0.9 m	DTB010001





#### KwikLok 100% Recycled PVC **Interlocking Floor Tiles**

An ideal low cost solution for refurbishing floor surfaces • Easy DIY installation - no adhesive required. • Installation instructions provided. • Non-conductive and fire resistant. • An ideal low cost solution for refurbishing floor surfaces. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight or extreme temperatures. • Material: 100% recycled PVC • Product Height: 6mm














Size	отт
465mm x 465mm	RUBKL6
Edging (Only on special order)	6mm
465mm x 30mm	RUBLKR6





#### Bubblemat

#### Smart anti-fatigue mat with a distinctive bubbled surface

Raised bubble patterned surface stimulates feet and legs to aid circulation. • Underfoot cushioning also makes prolonged occupational standing more comfortable. • Complete mats suitable for workstations and interlocking sections available for longer production lines. • Material: Standard - Natural rubber. • Product Height: 14mm

Sizes	Safety
0.6 m x 0.9 m (edged all round)	BF010701
0.9 m x 1.2 m (edged all round)	BF010702












#### Stud Flooring/ Rhomboid/ Pyramid Sheeting

Used in a range of industrial applications such as for or use on stairs, counter tops, workshop floors and load boxes. • Product Height: 3mm

Studded	3mm
Rubber Sheeting 3mm Thick - Studded 1200mm x Per Linear Meter	RSS00001C
Rubber Sheeting 3mm Thick - Studded 1500mm x Per Linear Meter	RSS00002C






Pyramid	3mm
1.2m x 20m	RSP00001
1.2m x p/m (max. 20m)	RSP00001C

Rhomboid	3mm
1.2m x 20m	RS00001
1.2m x p/m (max. 20m)	RS00001C

#### Rubber Crumb

A range of industrial applications such as for or use on stairs, counter tops, workshop floors and load boxes. • Product Height: 4mm or 8mm

Rubber Crumb	4mm	8mm
1250mm x p/m (max. 20m)	RC010001	RC010002







## Slips in the Workplace: Taking slips and trips seriously

Across Europe, slips in the workplace are a real concern. It's not just sprains and bruises. Slips all too frequently result in bone fractures or internal injuries of one sort or another. In the most extreme cases, slips can result in fatalities. Slipping is especially dangerous if the individual falls onto a sharp or moving object, falls from height or comes into contact with hot surfaces, or chemicals.

#### What are the causes?

Contaminants on floor surfaces are very often the culprit. This can be water, ice, oil, grease, chemical spillage, etc. It is not just spilt liquids that make floor surfaces dangerous. Swarf, powders and other dry debris can act like marbles on a floor surface. Uneven and poorly maintained floor surfaces can also cause both slips and trips.

#### What can be done?

Good house-keeping is essential and educating employees about risks is imperative. Ensuring that floors are regularly cleaned and maintained, so they are free of contaminants should help to reduce the risk of slipping significantly. Use cable protectors for trailing wires. Floor safety should be evaluated frequently, with regular risk assessments.

The Health & Safety Executive provides useful guidance for risk assessments and also offers a Slips Assessment Tool (SAT). Carefully consider any risks. Initiating preventative measures, such as the installation of anti-slip matting, flooring or coating can dramatically improve safety underfoot. Ensure the area is well lit.

## Did you know?

Slips, trips and falls on the same level remain the most common cause of non-fatal accident in the UK workplace, and many result in major injury and human suffering. 90% of all reported 'specified' non-fatal injuries under RIDDOR resulted in fractures. The Labour Force Survey estimates that there were 555,000 non-fatal self-reported injuries to workers in the UK during 2017/18, of which some 135,000 resulted in over 7 days absence.<sup>3</sup>

#### **High risk sectors**

Healthcare; Education; Food & Drink Manufacture; Catering & Hospitality; Manufacturing/ Engineering (General); Building & Plant Maintenance; Oil & Gas Industries; Shipping & Docks; and Construction are all considered as high risk slip sectors.

## **R558K**

estimated Cost to Society
(Britain per case) based or
a non-fatal workplace injury
resulting in 7 or more days
absence<sup>2</sup>

31%

of reported non-fatal injuries in Great Britain during 2017-18 were accounted to slip, trips and falls on the same level<sup>1</sup> "Source MDDOR, reporting of injuries, Diseases and Dangerous Occurrences Regulations "Source HSE Cost Model Grea Britain 2016/17 "Source The Labour Force Survey 2018/18



# Select the right matting product

Choose the right matting product each time with **Mats in Mind**, our ultimate product selector app.

Download Mats in Mind FREE today on the Apple or Android app stores!





#### COBAelite® Diamond Durable anti-fatigue mat with diamond pattern

Improve comfort when standing in the workplace. • Premium quality 'diamond' surface anti-fatigue mat. • Superior material ensures durability. • Ramped edges help avoid creating a trip risk. • Supplied with high visibility yellow borders as standard. • Loose lay – can easily be installed in a wide array of workplaces. • Supplied as individual workstation mats. • Fire tested to BS EN 13501-1 Class Bfl - s1. • Material: PU • Product Height: 18mm





Sizes	Black/Yellow	
0.6 m x 0.9 m	SED010701	
0.9 m x 1.2 m	SED010702	





## Tough Deck MK3 Recycled drainable workplace tiles


Non-slip interlocking decking for wet areas. • Combination of substantial product height and large holes offers excellent drainage. • An economical yet heavy-duty matting solution. • Easy DIY installation with connectors that conceal joins. • Ideal for industrial use, especially in areas prone to liquid spillage. • Ramped edges to prevent trips are available in black or yellow. • Slip tested to DIN 51130. • Material: Recycled rubber and plastic • Product Height: 20mm




Size	Black	Yellow
480mm x 480mm	RUBMK3	RUBMK3Y
Edging	Black	Yellow
480mm x 180mm (F)	RUBMK3RF	RUBMK3FY
480mm x 180mm (M)	RUBMK3RM	RUBMK3RY











#### Solid Fatigue-Step Fatigue relief for large and oil prone shop floors

Tiles link together to provide a very comfortable anti-fatigue surface. • Can withstand temperatures of up to 160°C and spillage of molten glass. • Individual tiles can be moved and replaced with ease. • Fully slip tested – Conforms to Slip Resistance Test EN 13552 Category R10. • Optional ramped edging in yellow or black. • Material: Standard - Natural rubber with 25% NBR. • Product Height: 18mm



















#### Fatigue-Step Fatigue relief for large, wet and oily shop floors

Tiles link together to provide an anti-fatigue surface for particularly wet or oily areas.

• Soft, yet resilient rubber floor tiles.

• Open holes allow efficient drainage of spilt liquids.

• Effective anti-fatigue properties for prolonged standing.

• Main tiles available in Standard


• Slip tested to DIN 51130.

• Optional ramped edging in yellow or black.

• Material: Rubber mix, including >50% recycled material

• Product Height: 19mm / 14mm













#### Fatigue Lock Premium mid-size interlocking anti-fatigue tile

This extra thick tile provides comfort and fatigue relief for standing workers. • Precision designed tiles seamlessly clip together for smooth raised floor surface.

• Convenient tile size allows for easy planning. • Can be used to cover large or unusually shaped workstations. • Made from rubber for durability, slip, and impact resistance. • Tile option with holes is ideal for wet workplaces in need of drainage.

• Solid and holed version can be used together in one installation. • Ramped edges prevent trips and are available in black or yellow. • Easily cleaned with a jet washer or hose. • Slip tested to DIN 51130. • Material: Rubber, including 25% NBR • Product Height: 24mm













		B. F	10
S. S	39	CHANGE CO.	1 TO 10 TO 1





0.5 m x 0.5 m (Solid surface)

0.5 m x 0.5 m (With holes)

Edging Corner Edge

Male Edge

Female Edge



FLS010001

FL010001

FLC070003

FLE070002M

FLE070002F

FLC010003

FLE010002M

FLE010002F







# Rampmat Banish cold hard concrete floors with our entry level rubber anti-fatigue mat

Provide standing relief to all workers with this economical anti-fatigue mat. • Raised circular surface provides effective slip resistance. • Open drainage holes capture spilt liquids, swarf or other debris to help prevent slips. • Moulded ramped edges to reduce the risk of trips and allow wheeled access. • Made from hardwearing rubber for durability. • Slip tested to DIN 51130. • Material: Rubber mix, including >50% recycled material • Product Height: 14mm



Sizes	Black
0.9 m x 1.5 m	RP010001
0.8 m x 1.2 m	RMR010001









#### K-Mat Reduce fatigue and slips in oil prone areas

A nitrile rubber mat for swarf prone areas. • Contains nitrile to offer the best resistance to oils and chemicals. • Ideal for food processing and manufacturing locations due to its excellent resistance to grease, fats and detergents. • Easily cleaned in a commercial washing machine. • Raised pattern surface for exceptional slip-resistance (tested to DIN 51130). • Open holes efficiently drain liquids and capture debris. • Hygienic anti-microbial properties make it suitable for food processing locations. • Material: NBR • Product Height: 9mm











Sizes	Black
0.85 m x 1.45 m	KM010001
0.85 m x 2.9 m	KM010002







#### **COBAdeluxe**

#### Fatigue relief for heavy-duty workstations

Creates a safe and very comfortable standing surface. • Its thickness makes it a durable mat that can withstand impact. • Quickly cover large areas if used as a connecting system. • Made from hardwearing rubber providing longevity. • Excellent slip resistance in wet areas. • Open drainage holes for spilt liquids make it ideal for wet workplaces. • Available as a single mat or can be linked together with connectors for larger areas. • Use of optional edges is recommended to reduce the risk of trips. • Slip tested to DIN 51130. • Material: Natural rubber •



Long edge 1565mm x 50 Short edge 1074mm x 50

Edging

Product Height: 18.5mm







	Size	Part Code	
	1 m x 1.5 m	DM010002	
	Connector	DM010003	
	Black	Yellow	
0mm	P240-L1093-C09	P240-L1093-C09-YE	
0mm	P240-L1092-C09	P240-L1092-C09-YE	





#### Unimat

#### Heavy-duty anti-fatigue matting for wet areas

Versatile rubber runner. • Open holes provide excellent drainage. • A real asset in helping to prevent slipping in wet/oily areas. • Easy to roll up and move to new locations or for cleaning. • Slip tested to DIN 51130. • Material: Rubber mix, including >50% recycled material. • Product Height: 10mm


















## Knee-Saver Prevent strain from kneeling

Adaptable pad for all uncomfortable kneeling jobs. • Reduces knee pain and lower back stress caused by regular kneeling. • Lightweight to carry – only 0.35 kg per pad – with carrier handle. • Good resistance to oils and chemicals. • Material: NBR Foam • Product Height: 25mm

Size	Part Code
530mm x 360mm - Unbranded	KS010004
530mm x 360mm - Branded	KS010004B







# Ringmat Honeycomb Extremely tough rubber matting for indoor and outdoor use

Highly durable interlinking drainage mat ideal for general industrial use. • Raised surface design ensures grip in wet conditions while scraping away dirt and debris. • Large holes allow dirt and debris to fall through, keeping it trapped. • Ideal for more heavy-duty environments where debris is a factor. • Conforms to Slip Resistance Test EN 13552 Category R10. • Connectors available to link matting for larger areas. • Material: Rubber mix, including >50% recycled material. • Product Height: 22 mm









Sizes	Part Code
0.4m x 0.6m	RM010011
0.6m x 0.8m	RM010006
1.2m x 0.8m	RM010001
1.5m x 1.0m	RM010002
Connector	RM010004










# COBAscrape A durable anti-slip mat ideal for areas prone to oil or chemical spillage

A solid surface mat designed to reduce slips in oily or greasy conditions. • Raised surface pattern provides extra underfoot grip. • Recessed pattern creates drainage channels to capture liquids. • Makes standing more comfortable in a wide range of workplace environments. • Resilient to degradation in oily, greasy and chemical prone areas for a longer lifespan. • Single mat design makes it a quick and simple solution to reducing slip accidents. • Bevelled edges as standard to reduce trip hazards. • Slip tested to DIN 51130. • Material: NBR • Product Height: 6mm



Sizes Bla	
0.85 m x 1.5 m	CS010002
1.15 m x 1.75 m	CS010004







#### Hygimat

#### A revolutionary hygienic anti-fatigue mat

Improve feeling of comfort and energy whilst standing at work. • Ideal for any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. • Made from a revolutionary 'gel foam' material that combines the best in durability and comfort. • Material also has anti-microbial properties • Closed cell construction means that no liquids can penetrate the mat and reduce performance. • Version with holes is ideal for wet workplaces in need of drainage. • Oil resistant. • Easily cleaned – can be cleaned with detergent or can be steam sterilised. • Fire tested to BS EN 13501-1 Class Dfl - s1 and slip tested to DIN 51130. • Material: Rubberised Gel Foam • Product Height: 17mm ±1mm















Sizes	Black
0.6 m x 0.9 m (Solid surface)	HYS010001
0.9 m x 1.5 m (Solid surface)	HYS010002
0.9 m x 1.8 m (Solid surface)	HYS010003
0.6 m x 0.9 m (With holes)	HYG010001
0.9 m x 1.5 m (With holes)	HYG010002
0.9 m x 1.8 m (With holes)	HYG010003







# Flexi-Deck Flexible PVC floor tiles ideal for wet areas

Flexible PVC interlinking tiles for industrial use. • Holes allow drainage of liquid and debris. • Specially designed underside studs have exceptional water drainage properties. • Anti-slip top surface for a safe footing in wet conditions. • Easily cleaned, rolled up and moved. • Resistant to most oils and chemicals. • Holes provide efficient drainage and allow air to circulate. •

Product Height: 13mm

Sizes	Black	Blue	Red	Weight
30cm x 30cm (Pack of 9)	FD010001	FD020001	FD030001	3.80 kg
Female Edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	0.23 kg
Male Edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	0.23 kg
Corner (Pack of 4)	FD010004	FD020004	FD030004	0.06 kg

Sizes	Green	Grey	Weight
30cm x 30cm (Pack of 9)	FD040001	FD060001	3.80 kg
Female Edge (pack of 3)	FD040002F3	FD060002F3	0.23 kg
Male Edge (pack of 3)	FD040002M3	FD060002M3	0.23 kg
Corner (Pack of 4)	FD040004	FD060004	0.06 kg





Grey



Blue



Red





Green

Raise workers off the ground like traditional duckboard. • Reduce the risk of slips by removing feet from direct contact with spilt liquids. • Provides a much more comfortable standing surface than concrete.

- Textured surface provides slip resistance.
- Flexible and lightweight easy to move and clean.
   Strips are welded together for strength.
   Slip tested to DIN 51130.
   Material: PVC
   Product Height: 11.5mm ±0.5mm


























Sizes	Black	Blue	Red	Grey
0.59 m x 10 m	DS010610	DS020610	DS030610	DS060610
0.59 m x per linear metre	DS010610C	DS020610C	DS030610C	DS060610C
1.2 m x 10 m	DS011210	DS021210	DS031210	DS061210
1.2 m x per linear metre	DS011210C	DS021210C	DS031210C	DS061210C





#### Standing the test of time, our original safety matting


The original premium multi-purpose safety mat widely used across industry today. • An ideal choice for longer production lines, or for covering mezzanine floors. • Vinyl strips are intervoven, rather than welded, for better flexibility and lower right of breaking. • Organ right of products of lines are fined at the strip of the reduced of the second risk of breaking. • Cross-ribbed grip to reduce slipping. • Fully reversible for added longevity. • Fire tested to BS EN 13501-1 and slip tested to DIN 51130.• 30mm x 30mm hole size. • Material: PVC • Product Height: 12mm





Sizes	Black	Blue	Weight
0.6m x 10m	CS010610	CS020610	26 kg
0.6m x 1m	CS010610C	CS020610C	2 kg
0.6m x 5m	CS010610W	CS020610W	10 kg
0.9m x 10m	CS010910	CS020910	40 kg
0.9m x 1m	CS010910C	CS020910C	4 kg















#### 40 Years of COBAmat®

#### Where it all started...

2019 marks 40 years since COBAmat was first launched. The concept of safety matting was still very new back in 1979. Factory workers traditionally used cardboard, or wooden or metal duckboards as a standing surface to insulate their feet from cold concrete floors. COBAmat changed all that.

At the time, COBA Europe didn't exist. The new matting operation originally traded as part of COBA Plastics Ltd, an established thermoplastic extrusions manufacturer supplying extruded components to a variety of sectors, from automotive to medical and packaging. Always innovative, COBA had spotted an opportunity for another use for its PVC extrusions.

Strips of extruded PVC were hand woven using a specialist technique, resulting in superior strength and flexibility compared to similar welded designs.

And so COBAmat (initially called Airomat) was born.



Of course, it was not long before news started to spread about this new safety mat.

Demand for COBAmat grew swiftly as customers reaped the benefits from standing on flooring described in marketing literature as 'walking on air'.

COBAmat could be seen in all sorts of places, from factory floors and leisure environments, to marine and motorsport. People who normally stood on hard, potentially slippery floors were delighted with the product that made standing more comfortable and floor surfaces safer.

Today, COBA Africa boasts over 150 floor safety products, facilities in 7 countries, and a global network of distributors.

The innovation that started it all, COBAmat, is still manufactured in the same way in the UK, and remains one of our most popular safety mats.









#### SitePath

#### Create high visibility walkways with ease

A lightweight matting for easy deployment on construction or factory sites. • Flexible material can be laid onto uneven surfaces. • Diamond pattern top surface. • Yellow colour ensures walkways are easily visible. • Easily cleaned with a jet washer or hose. • Supplied in long rolls for easy installation. • Can be laid loose or adhered to the floor. • Low profile reduces trip potential. • Material: PVC • Product Height: 2mm


Sizes	Yellow SP070001C5	
1 m x 5 m		
1 m x 10 m	SP070001	











#### GripSafe

#### Protective liner for workbenches and much more!

Adaptable non-slip liner to protect both tools and shelves or workbenches. • Keep worktop items in place without the need for stands or clamps. • Fit inside drawers to reduce tools moving around. • Use on vehicle dashboards to prevent movement in transit. • Cuts easily, so you can fit to any space.

- Very light doesn't add extra weight to benches or toolboxes.
- Wear resistant and machine washable providing a long lifespan. Material: PVC foam Product Height: 4mm

Sizes	Black
0.6 m x 1.2 m	GS010002
0.6 m x 10 m	GS010001







#### Best-selling ribbed runner for floors and workbenches


Widely used for many different industrial applications, as floor matting or workbench/tool protection. • Ribbed rubber surface provides additional grip reducing the risk of slipping for operatives. • Provides a protective covering for workbenches, cushioning the impact of tools and apparatus. • Also useful for protecting stock at packing stations, and components in assembly areas. • Can be helpful in supporting noise insulation initiatives. • Material: Natural rubber • Product Height: 3mm

















#### **COBAswitch VDE**

## **VDE** approved electrical switchboard matting for personal protection

Lightweight VDE approved mat designed for use in front of open switchboards and high voltage equipment. • Provides safety for operatives against electric shocks. • Fine fluted surface has slip-resistance benefits. • Tested to 50,000 volts according to DIN EN60243-1 (VDE0303 part 21) IEC 60243-2:1996. • Material: Rubber mix • Product Height: 3mm

Grev







I m x 10 m	SM060010
I m x per linear metre	SM060010C

# COBAswitch BS EN: 61111 Electrical insulating matting that conforms to BS EN 61111:2009

Specialist electrical insulating matting to protect operatives from electrical shocks. • Conforms to the most recent internationally recognised safety standard IEC 61111:2009 /BS EN 61111:2009. • Designed specifically for use in front of switchboards and for

Designed specifically for use in front of switchboards and for other areas with high voltage equipment.
 Three thicknesses available to meet the different classes of working voltage, Class 0, Class 2 and Class 4.
 Colour coded on the reverse clearly identifying the working voltage classification.
 Ribbed surface helps to provide a firmer footing, reducing the risk of slips while improving standing comfort.
 Material: EPDM rubber
 Product Height: 3mm



Size	Part Code	Tested to		Withstand Tested To
1 m x 10 m x 3mm	SM010050	BS EN 61111:2009 Class 0	1KV	10KV
1 m x per linear metre x 3mm	SM010050C	BS EN 61111:2009 Class 0	1KV	10KV









# COBAelite® ESD Bubble surfaced mat to tackle fatigue in ESD sensitive areas

Static-dissipative anti-fatigue mat for comfort and safety. • Conductive buried layer neutralises static charge, protecting components. • Comfortable bubbled surface promotes subtle movement further reducing fatigue. • Grounded via a 10mm male stud fitted to the mat. • Meets or exceeds IEC61340-5-1 resistance requirements. • Resistance to a groundable point (Rgp):  $2.4 \times 10^6 \Omega$  • Material: PU • Product Height: 14mm











Part code	Description
	COBAelite® ESD Studded Mat
SE010001ESD	0.6m x 0.9m
SE010003ESD	0.9m x 1.2m
SE01FLOORKIT	COBAelite® ESD Floor Kit
	Kit includes:  Floormat Grounding Wire  Yellow Earth Bonding Plug – UK  3 Pin Plug Adaptor - SA


# ESD Rubber Bench Mat Economical ESD work bench mat

Rubber ESD bench mat fitted with 10 mm male stud. • Solder iron resistant and low reflecting surface, ideal for working with electrical components. • Easy to clean smooth surface. • Conforms to IEC 61340-5-1. • Point to point resistance (Rp-p):  $1.2 \times 10^4 \, \Omega$  • Material: Rubber • Product Height: 2 mm

Size	Black
0.6 m x 1.2 m x 2 mm	ESDB010005



Part code	Description
	ESD Studded Rubber Bench Mat
ESDB010005	0.6m x 1.2m x 2mm Black
SEB01BENCHKIT	ESD Rubber Bench Mat Kit
	Kit includes:  Common Ground Point Wire  Coil Cord  Wrist Band Dark Blue  Yellow Earth Bonding Plug – UK  3 Pin Plug Adaptor - SA











#### Wristbands Comfortable and functional grounding wristband

Crochet style elasticated, fully adjustable wristband, manufactured in the UK. • Woven silver monofilaments conduct static while providing excellent band to skin contact. • Fits to the coiled ground wire via a 10mm male stud. • Meets or exceeds IEC61340-5-1.

# UK Earth Bonding Plug Standard plug to connect ESD floor or bench mats to earth

An ideal solution to connect bench and floor mats to ground to avoid injury to personnel and damage to components. • Works well with the anti-static wristband for personnel. • Neutral and mains voltage pins are made from plastic, whilst the earth pin is metal for guaranteed safety. • UK and EU versions available. • Does not have a resistor as this is integrated with the grounding wire.







# Common Point Ground Wire Safely grounds ESD Matting and operators

10mm female stud at one end for connection to a 10mm male stud on an Earth Bonding Plug. • 10mm female stud for connection to the mat, along with a 10mm male stud. • 4mm banana socket for connection to operator coil cord. • Length: 4.5 m wire for connection to earth plug.

# Floor Mat Grounding Wire Help protect equipment from static with an earth grounding wire

Grounding wire for use with floor mats to help prevent static which could damage equipment. • Conforms to 10mm connection. • Easy connection with female studs on each end. • Fitted with a 1 meg  $\Omega$  resistor to help static discharge.

## Coil Cord For use with an ESD Wristband

PE conductive coil cord. • Good coil memory and tangle-free. • 1 meg  $\Omega$  resistor incorporated for operator safety. • 10mm female stud to 10mm female stud. • Max length: 1.8 m.



# **ESD** Explained

Electrostatic Discharge (or ESD) is the sudden release of electricity between two electrically charged objects, commonly referred to as static electricity.


Facilities where electronic components are manufactured, data centres or areas where flammable materials are present, are just some examples of locations that have to be especially careful in controlling ESD.

An effective solution is static-dissipative floor or work bench matting (ESD matting) which has conductive properties to draw the electric current away from the component.

For ultimate protection, they are used in conjunction with specialist ESD accessories such as heel grounders, wristbands and cords.

#### It is critical not to confuse static-dissipative (ESD) matting with 'Anti-Static' or 'electrical switchboard matting'.


Resistance Ω	10 <sup>3</sup> to 10 <sup>5</sup>	10 <sup>5</sup> to 10 <sup>9</sup>	10 <sup>9</sup> to 10 <sup>12</sup>	> 1013
Туре	Conductive	Dissipative	Anti-Static	Insulative
Function	No initial charge. Provides path for charge to bleed off.	No or low initial charge. Prevents discharge to or from human contact.	Initial charges are suppressed.	Insulators and base polymers. Not ESD.



#### **ESD** floor mat safety

Choose the appropriate floor mat(1) for your workbench in line with resistance requirements. Electrical resistance is measured in ohms or shown as this symbol  $\Omega$ .

Operatives are advised to use two heel grounders(2), featuring a grounding tab to be used in the shoe, under the foot. Having chosen the appropriate floor mat, ensure you have a compatible floor mat grounding wire(3) to connect the earth bonding plug(4) to the mat.



#### **ESD** workbench safety

Choose the appropriate mat for your workbench(1) in line with resistance requirements. ESD wristbands(2) are recommended to ground the operator when working with electronic components.

The fabric bands feature silver monofilaments for conductivity. They are designed to be fitted to a coiled grounding cord(3) and used in conjunction with a compliant earth bonding plug(4). A common point grounding wire(5) connects the plug to the mat.



#### CablePro GP


#### All-purpose cable cover available in 3 m or 9 m lengths


Reduce trip hazards caused by trailing cables. • Protect cables and wires from being pulled and causing costly damage to equipment. • Hazard strip version for increased visibility. • Tapered edges to reduce trip hazards. • For inside and outside use. • Ideal for offices, warehouses, events, shows and exhibitions.

Part	Colour	3 m	9 m
GP1	Black	CP010012	CP010005
GP1 Safety	Black/Yellow	CP010711	CP010701
GP2	Black	CP010013	CP010006
GP2 Safety	Black/Vellow	CP010712	CP010702





















#### CablePro Data Protect data cables, reduce trip hazards


Ideal for keeping multiple cable types separated. • Seam in base for snapping in cables. • Reduce trip hazards caused by trailing cables. • Tapered edges to reduce trip hazards. • For inside and outside use. • Ideal for offices, warehouses, events, shows and exhibitions.

Part	Colour	3 m	9 m
Data1	Black	CP010010	CP010003
Data2	Black	CP010011	CP010004















# Data2



# CablePro HD One or two duct heavyduty cable protector

Tough ramped edges keep cables protected from wheeled traffic such as cars and forklifts. • Large 23mm diameter channels accommodate heavyduty cables. • Suitable as indoor or outdoor cable protector. • Ideal for industry, warehouses, events, shows and exhibitions.

Part	Colour	3 m	4.5 m	9 m
HD1	Black	CP010007	-	CP010001
HD3	Black		CP010000	CP010002

## CablePro Mat Designed to be laid over cables to reduce trip hazards

Special cable mats for protection from tripping hazards due to loose cables lying around. • Extremely durable nylon surface in dappled colour shades. • Cleated non-slip backing made from durable nitrile rubber with integrated cable run. • Edge in hazard stripe. • Light-resistant and suitable for underfloor heating. • Anti-static. • Easy to lay out, reposition and clean. • Ideal for events, shows and exhibitions. • Material: PA • Product Height: 13mm

Size	Part Code
0.4 m x 1.2 m	CPM010701





#### **COBAtape**

#### Clearly define areas and hazards with floor tape

A self-adhesive backed vinyl floor tape to quickly mark lines on floors. • An ideal solution to mark out areas within factories and industrial settings. • Available in a number of colours, with plain and hazard striped options available to increase visibility further.





# Barrier Tape Create temporary barriers to hazardous areas

Durable and easy to apply to inside or outside areas. • Red and white striped means the tape is highly visible. • Strong non-adhesive polyethylene barrier tape for industrial environments.


Size	Red/White	
76.2mm x 500 m	BT130301	
	A MARINE	
	Marie and Control	
	ARREST 65 M	
	A WALL TO A	
A CONTRACTOR OF THE PARTY OF TH		
		١
	The state of the s	

#### Gripfoot Improve grip on smooth surfaces with an abrasive grit finish

Self-adhesive tapes, cleats or tiles with an abrasive grip surface which helps to improve anti-slip properties. • A hardwearing and easy to install solution to help prevent slips and trips. • Available in a range of colours, including a hazard version which provides high visibility in darkness and low light conditions. • Gripfoot Tape - versatile for floor surfaces, machinery and vehicles. • Gripfoot Cleats (rectangular) are designed for use on steps and stairs. • Gripfoot Tiles (square) are ideal for increasing safety on smooth, tiled floors. • Slip tested to DIN 51130. • Material: Abrasive grit consisting of aluminium oxide bonded to a polymer substrate. Solvent based acrylic emulsion adhesive backing. Product supplied with a moisture resistant release liner.

Tapes	Black	Luminous	Clear
25mm x 18.3 m	GF010001	GF110001	GF120001
50mm x 18.3 m	GF010002	-	GF120002
102mm x 18.3 m	GF010003	-	GF120003
152mm x 18.3 m	GF010004	-	GF120004
Tiles	Black	Aqua Clear	Aqua White
140mm x 140mm	GF010005	-GF120005A	-
140mm v 140mm (10 pk)	_	GE120005	GE130005A

Cleats	Black	Clear
152mm x 610mm	GF010006	GF120006 (10pk)

























Size 50mm x 18.3 m

GF010002

GF040002

GF020002 GF030002

Yellow GF070002

GF110002

GF120002

GF010702

GF031002








Self-adhesive foiled backing tape with an abrasive surface to help improve anti-slip properties. • A foiled backing allows for rolling and hammering into shape on irregular surfaces.



Sizes	Black
50mm x 18.3 m	GF010002C
102mm x 18.3 m	GF010003C
152mm x 18.3 m	GF010004C
140mm x 140mm	GF010005C
152mm x 610mm	GF010006C





## **COBAGRIP®**

COBAGRiP® is a range of UV stabilised GRP sheets, treads and stair nosing designed to offer exceptional levels of slip-resistance both indoors and out, while having outstanding wear and tear qualities. It is an ideal underfoot safety solution for pedestrian and factory walkways, access ramps, gangways and bridges.

The silicone carbide 'gritted' top surface provides effective underfoot grip and is resistant to most solvents and chemicals. It is manufactured using flame retardant materials. Easy to install, simply bond or screw to the existing floor surface, COBAGRiP® is a cost-effective means of refurbishing damaged or slippery floors. Easy to clean (pressure wash).

\*Ramp Slip Tested to R13 in accordance with DIN 51130: 2010. Pendulum Slip Tested in accordance with BS 7976-2: 2002.

#### COBAGRiP® Sheet **GRP** flooring is the ideal solution to combat slip hazards such as liquids and ice

An easy to install anti-slip solution for internal and external areas. • Simply bond or screw the GRP flooring onto the existing floor surface. • Available in a range of colours which meet the Equality Act requirements, including black, grey and yellow. • Product Height: 5mm

Sheet	Black
1.2m x 1.2m - 5mm	GRP010002

#### COBAGRiP® Light **GRP** flooring solution for use on undulating surfaces

An easy to install anti-slip solution for internal and external areas. • Made from silicon carbide it's ideal for use on undulating surfaces including factory walkways, ramps and bridges. • Simply bond or screw the GRP flooring onto the existing floor surface. • Product Height: 2.4mm

Light	Black
1.2m x 1.2m - 2.4mm	GRP010002L









#### COBAGRiP® Stair Tread Increase stair safety with a non-slip silicon carbide surface finish

Fully cover a stair area with an anti-slip surface. • Each stair tread covers the entire step area, overlapping the edge onto the riser acting as stair protectors. • Available in yellow or white, which both meet current Equality Act requirements. • The perfect match with our COBAGRIP Sheet.

Stair Treads	Black/Yellow
1.5m x 345mm x 55mm	GRP010703S



# COBAGRiP® Stair Nosing Increase stair safety with highly visible anti-slip stair nosing

Durable and easy to install on both existing and new-build steps.


• A hard wearing, gritty surface available in bright colours helps protect against slips and trips whilst meeting the Equality Act requirements (DDA).

• Manufactured with chamfered back edge for additional safety.

Stair Nosings	Yellow
1.5m x 55mm x 55mm	GRP070003N
1m x 55mm x 55mm	GRP070004N









# Interlocking Colour PVC Tiles Easy to install Interlocking PVC tiles, perfect for a quick solution to damaged floors

Easy DIY installation - no adhesive required. • Installation instructions provided. • An ideal low cost solution for refurbishing floor surfaces. • This product may discolour and warp if laid in areas exposed to direct sunlight. • Available in Red, Yellow, Grey or Blue. • Minimum Order Quantity 50m² (200 tiles) Product Height: 5mm /7.2 mm

Size	Variety	Colour
500x500x5mm	5300EA	Black
500x500x5mm	5300CEA	Colour Palette*
500x500x7.2mm	5300EA7	Black
500x500x7.2mm	5300CEA7	Colour Palette

<sup>\*</sup>Sold per tile





Hotter Shoes is a long-established British brand of footwear synonymous with comfort and style. Headquartered in Lancashire, the company has invested heavily in making it one of the most advanced shoe making facilities in the world. Today, it is the largest shoe manufacturer in the UK. **Orthomat® Standard** anti-fatigue matting has recently been installed in Hotter's manufacturing facility.

With a brand such as Hotter, 'comfort' is an inherent part of the company's ethos and the catalyst for the 'Hotter Comfort Concept'. This extends to the comfort and wellbeing of its employees who work in the factory, and regularly have tasks that require prolonged standing.

"As a producer of Britain's best comfort footwear brand, it only seemed appropriate that our manufacturing and finishing staff should have a comfortable environment in which to work," says Andrew Glover, Health, Safety & Facilities Manager CMIOSH.

Explaining the rationale behind the decision to install anti-fatigue mats in Hotter's manufacturing facility, Andrew says:

"We commissioned a survey and found that staff carrying out repetitive actions in a static position were twice as likely to experience work-related absence, such as fatigue, foot and muscular pain, compared to those roles where walking and movement were present."

As promoted in COBA Europe's eBook **#StandUpForHealth**, we are all being advised to 'move more' for better health.


"Our bodies need to move, and using our muscles is good for the joints, our circulation and the heart itself. Many injuries caused by static standing for extended periods such as aches, stiffness and rheumatic diseases are a result of poor movement in work-related activities."

Anti-fatigue mats, coupled with microbreaks, role changes and better employee 'rest' initiatives, are proving part of the solution for Hotter.



# KwikLok 100% Recycled PVC Interlocking Floor Tiles

An ideal low cost solution for refurbishing floor surfaces • Easy DIY installation - no adhesive required. • Installation instructions provided. • Non-conductive and fire resistant. • An ideal low cost solution for refurbishing floor surfaces. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight or extreme temperatures. • Material: 100% recycled PVC • Product Height: 6mm



5	Size	6mm
4	465mm x 465mm	RUBKL6
E	Edging (Only on special order)	6mm
4	465mm x 30mm	RUBLKR6













# **Entrance Matting Systems**

From prestige to budget, we've got it covered

The COBA Africa Matco brand offers an extensive range of Aluminium, Carpet and PVC Tiled based entrance matting systems that are both stylish and deliver superior wear resistance for busy areas subjected to high volumes of pedestrian footfall. Many of our options have environmentally-friendly credentials, incorporating recycled materials in their manufacture. Whether it is interlinking entrance tiles, carpet on rolls or a custom made aluminium system, our fully trained sales team can advise at every stage of specification and installation.












### Plan.a Defend against dirt and moisture with versatile aluminium entrance matting

Robust, high-quality aluminium system for heavy-duty use designed to cope with high footfall. • Flexible, yet durable PVC linking joints for ease of handling and easy fitting. • Custom-made to order to your specification. • Choose from one, or a combination of different surface options. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2. • Product Height: 10mm or 17mm














PVC Brushes

	Open	Closed
Mate	erial Key	
А	Carpet / PVC inserts	
В	Aluminium	
С	Flexible PVC connector	

Foam cushion



Description	Alba Inserts	Berber Inserts	PVC Brushes
Plan A Low Profile 10mm Open Construction With Alba Inserts Per M	PLANA0001	PLANA0005	PLANA0013
Plan A Low Profile 10mm Closed Construction With Alba Inserts Per M	PLANA0002	PLANA0006	PLANA0014
Plan A Standard Profile 17mm Open Construction With Alba Inserts Per M	PLANA0003	PLANA0007	PLANA0015
Plan A Standard Profile 17mm Closed Construction With Alba Inserts Per M	PLANA0004	PLANA0008	PLANA0016

### The Client's Reaction

"COBA only had a very restricted time to fit the entrance matting in three different locations, so the pressure was immense but still COBA's team managed to deliver on time and with great precision. They were a very good team, professional, conscientious, attentive and reactive to our business needs," says Armelle Rainjonneau, House Manager – The Bridgewater Hall. She added: "I have no issues in recommending COBA to other organisations. We experienced good all-round service and we are very pleased with the finished result."



# The Project

**Contractor:** Manufactured and installed by COBA Europe

**Project:** The Bridgewater Hall

**Location:** Manchester **Products:** Plan.a

The Bridgewater Hall, officially opened in 1996, is Manchester's internationally acclaimed concert venue which hosts over 250 musical performances a year, spanning a wide range of musical genres.

New entrance mats were required for The Public Main Entrance, The Box Office Entrance and The Artists' Entrance.

COBA Europe was recommended by The Bridgewater Hall's janitorial supplier to provide the solution. Plan.a was selected

and custom-made to order for the three recessed matwells, and subsequently installed by COBA.

One of the main challenges of the installation was the tight timescales – the matting had to be installed swiftly to ensure completion before the evening performance.

The installation involved removing the old matting and carrying out some sub-floor preparation to ensure the surface area was level.

Plan.a with Alba (nylon) carpet and PVC scrapers was then installed in each area. The Bridgewater Hall opted for a closed construction surface design.

# How to Specify Entrance Matting

This brief guide is intended to assist you in making the right choice of entrance matting first time around. Our Support Team is also on hand to answer any queries and arrange site surveys for the most accurate product specifications. Look out for the icons throughout this catalogue, to help you find the best suited products for your environment.

### Contaminants

All of our products protect you against contaminants but some products are more effective than others for removing either dirt or moisture. Use these icons to determine which.



Most Effective Against Dirt/Soil

Against Moisture

### Zones

We recommend a zoning system when choosing your entrance matting. Whether your entrance extends outdoors or is fully covered, creating three zones delivers optimum dirt barrier performance, ensuring interior floors are kept clean and hazard free.



### Zone 1

Zone 1 is all about scraping and removing the initial 'surface' dirt, mud and moisture. The matting should have a more abrasive surface, or tough bristle, for scraping action.

# 1 2 3

### Zone 2

Zone 2 is usually the location of the main entrance mat section. Often set in a recessed matwell, it is designed to capture dirt and moisture for removal later on.

# Zone 3

Zone 3 cleans and dries the soles of shoes or wheels, before they finally reach the internal floor coverings.

### Pedestrian Traffic

It is important that matting is a sufficient length to allow moisture and debris to be wiped off footwear as people walk across the mat. Our COBA Africa team recommends a minimum of six footsteps for this to be effective.



Light
Less than
80 people per
hour 3-4 metres



Medium
Up to 300 people
per hour
6-7 metres



High Around 600 people per hour 8-10 metres



Very High Over 5,000 people per day 9-12 metres

Depending on the nature of the building, the entrance may have to contend with different types of wheeled traffic. It is important that all matting complies with National Building Regulations Act so that wheelchairs can safely move on and off.



Light Suitcases, Wheelchairs



Medium
Supermarket Trolleys,
Sack barrows,
Luggage trolleys



Heavy Duty Supermarket Cages, Pallet Trucks



Max Duty
Forklift Trucks,
Hydraulic Cranes

# Treadwell Recycled, hardwearing entrance floor tiles

Ideal for entrances with medium to high footfall. • Fit for use with trolleys. • Entrance floor tile manufactured from 90-100% recycled material. • Looks stylish when laid in uniform or parquet. • Easy to install. • Can be used for zone 1 to 3 in an entrance matting system. • Product Height: 10mm

















Brown

Blue



Size	Brown	Blue
300mm x 300mm	TW050001BR	TW050001BLU





# Premier Grip 100% recycled PVC interlocking tile system

Suitable for use indoors and outdoors. • Dirt-scraping raised nodules. • Small holes provide efficient drainage. • Suitable for wheeled access. • Easy to install, clean and maintain. • Fire tested to EN13501 Euro classification E(F1) and slip tested to DIN 51130: 1992 • Links directly with Premier Track & Premier Star Gripper tiles • Product Height: 12.5 mm





Black

Grey













Size	Black Grey	
456mm x 306mm	PG010001	PG060001



# Supply & Install

## Supply:

With distribution centres across Africa, we're proud to be able to offer next day delivery on many of our products, perfect for those last minute jobs! Our **EasyInstall<sup>TM</sup>** range of entrance matting has been developed with this in mind. Off the shelf, modular systems, they are quick to order and install. If you've got more time to spare, why not get in touch with our team for free samples, site surveys and support!

### Installation:

Specifying the right entrance matting for your building is one thing but installation of some of the most popular systems such as aluminium matting is also a specialist job. That's why we offer a complete supply and install service.

Our trusted team have years of experience working with COBA products, and know them inside out. We can even install your project overnight to prevent any business downtime. Once we've installed your project we'll clear up and dispose of any rubbish, leaving you to admire your new flooring installation!





# Premier Track Protect internal flooring with heavy-duty, premium quality entrance tiles

Effectively removes moisture and debris, even from wheeled trolleys, without buckling. • Safe for high heeled footwear, heels won't get stuck in the tiles. • Exceptionally durable carpet inserts manufactured from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Ideal for recessed entrance wells. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2.





Grey

 Size
 Anthracite
 Grey

 456mm x 306mm (Closed) 12.5mm
 PT010101C
 PT010601C

 456mm x 306mm (Open) 12.5mm
 PT010101
 PT010601



# Premier Star Gripper Plus Ideal for recessed entrance wells

Interlocking entrance tiles designed for a matwell. • Two surface options available: Polypropylene carpet or Woven Brush. • Solid surface tiles effectively capture dirt to protect interior floors • Woven Brush are hardwearing inserts, suitable for external use, scraping dirt and wiping moisture. • Woven Brush showed no wear or tear after 100 000 scrapes with point weight of 2kg. • PVC base tile is manufactured from 100% recycled materials • Suitable for high volume footfall in commercial locations. • Product height is 12.5mm.




















Charcoal

Charcoal	
----------	--

 (Open)
 (Closed)

 Size: 456mm x 306mm
 Size: 456mm x 306mm

 Product Height: 12.5mm
 Product Height: 12.5mm

 Polypropylene Insert Charcoal: PSG010001
 Polypropylene Insert Charcoal: PSG010001C

 Woven Brush Insert Charcoal: Grey PSG010002
 Woven Brush Insert Charcoal: PSG010002C



# Berber Point

### Versatile dirt scraper carpet available in long runs

Textured stainproof Miracle Fibre (polypropylene) & Eco Fibre Blend provide outstanding scraper action. • Non-slip gripper back. • Popular for both interior walkways and reception areas providing a total dirt-barrier solution. • Also frequently used in recessed matwells in entrance areas. • Available with optional edging. • Suitable for glue down or lay to surface applications.• Product Height: 6-9mm



Sizes	Charcoal	Turkey	Assortment
3.6m x per sqm unbacked	BER921	BER922	BER920
3.6m x per sqm backed with bubber	BER921C	BER922C	BER920C

# **Dm Aluminium**

# Robust, high-quality aluminium system for heavy-duty use

Durable linking joints for ease of handling/fitting. • Suitable for high volume footfall in commercial locations. • Three surface options available: 1. Woven Brush 2. Berber Point 3. Alba. • Woven Brush showed no wear or tear after 100 000 scrapes with point weight of 2kg. • Custom-made to order. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2. • Product Height: 12mm





Size (Woven Brush Insert)















### Size (Berber Point Insert) Charcoal DMA010001 Per m<sup>2</sup> Size (Alba Insert) Anthracite Per m<sup>2</sup> DMA010003

### **Insert Options**

Berber Point Insert




Charcoal

Woven Brush Insert









# Trio Brush

### Stylish carpet entrance matting designed to protect internal flooring

Textured polypropylene fibres combined with alternating woven brush and polyamide strips provide outstanding scraping and drying action. • Popular for both interior walkways and reception areas providing a total dirt-barrier solution. • Also frequently used in recessed matwells in entrance areas. • Suitable for recessed matwells or lay to surface with bevelled edging applications. • Product Height: 10mm







Anthracite Brown

Sizes	Anthracite	Brown
2m x 20m	PMTB010001	PMTB050001
2m x per square metre	PMTB010001C	PMTB050001C
Size		Logo
Logo/ m <sup>2</sup>		PMTBLOGO





# Trio Scraper Superior high traffic entrance matting

Install in recessed mat wells or loose-lay with bevelled edging. • Anti-slip latex backing. • Flame retardancy EN 13501-1 (2002) • Material: 100% polypropylene needle ribs alternated with woven brush and drying stripes in polyamide • Product Height: 13mm



















Brown





Grey

PMD060001

Anthracite


Grey




# Super Scraper Quality barrier mat for exterior use

100% polypropylene needle ribs alternated with polyamide brush strips, and perforated holes for drainage. • The ideal choice for facility entrance loose lay with PVC Edging or in a matwell. • Brushes debris from footwear, while also wiping moisture. • Suitable for indoor and outdoor entrance areas with sheltered canopies. • Material:100% polypropylene needle ribs alternated with polyamide brush strips and drainage perforation • Product Height: 13mm

Sizes	Black	Brown	Grey
2m x 20m	PMS010001	PMS050001	PMS060001
2m x per square metre	PMS010001C	PMS050001C	PMS060001C










Brown







# Royal Victoria Place Shopping Centre

Kent, UK

# Premier Track Tiles and Premier Grip Tiles incorporating Logo Mat

Royal Victoria Place Shopping Centre has installed Premier Tiles, complete with the integration of a customised Logo Mat, in its two main public entrance areas. The Shopping Centre, attracting over 10 million visitors per annum, required an entrance system that was durable and functional, yet looked smart too. UK Facilities Solutions carried out the installation in recessed matwells, and considered it to be a straightforward and hassle-free task.

"The new entrance matting has really refreshed both entrances to Royal Victoria Place, and we are very pleased with its appearance and performance. The logo effectively promotes our brand, and creates a positive first impression," says Nick Connell, Operations Manager, Royal Victoria Place Shopping Centre.



# Introduction

The global Coronavirus pandemic in 2020 caused governments, businesses and the public to take unprecedented steps to protect themselves. Whilst measures vary geographically, social interaction and hygiene practises are still greatly affected worldwide. Social distancing and contamination control are effective ways to reduce virus spread. This range of social distancing and hygiene products from COBA are designed to help businesses operate efficiently and safely.

# The Issues



# **Social distancing**

Visual aids are key to communicate to visitors and employees your specific guidance around social distancing. The South African government's guidance on social distancing remains 1.5 metres wherever possible. For businesses that can't operate with 1.5 metres such as pubs and hairdressers, we have a range of smaller mats, including directional signs and other instructions around enhanced hygiene such as hand sanitisation.

### **Fatigue**

One thing that hasn't changed since the COVID-19 pandemic reached South Africa, is that key workers across the country in supermarkets, warehouses, and manufacturing locations have stoically been attending work. Issues from standing fatigue and health ailments caused by prolonged standing haven't gone away. We've updated two of our key Orthomat® products with

social distancing messaging. And our newer Hygimat product is an ideal way to bring fatigue relief into hygienic sensitive locations.

# **Cross-contamination**

There has been a huge campaign of public awareness since the pandemic began and so

everyone is aware the risks posed by physical contact with items that may be carrying viruses. There is perhaps less awareness around viruses and other germs being transported on people's footwear between different buildings and departments.

Due to the COVID-19 pandemic, contamination control is more important now than ever before. Contamination between buildings and rooms occurs at the threshold, and all doorways have one thing in common, a doormat. Our range of tack mats and entrance mats are designed to improve hygiene and reduce walked in bacteria and other particles.











# Social Distancing Floor Mats Loose lay floor mats to promote social distancing, and health and hygiene awareness


• Communicate hygiene and social distancing rules to your staff or customers to limit the spread of Coronavirus. • Ideal for all public buildings including retail, hospitality, healthcare, supermarkets, and offices. • A cost effective and durable way to demonstrate that your business is 'COVID-19 Secure'. • Printed digitally for superb colour reproduction and definition. • Low profile borders to reduce the risk of trips. • Machine washable at 30°C. • Mats stay in place thanks to vinyl backing, but can also be relocated and washed unlike floor stickers. • Superior Nitrile Rubber backing with Twist Pile finish available for high traffic areas. • PVC backing is available in both Velour and Twist Pile finish, and the unedged option has a Velour finish. • Delivery in 2 weeks. • Product Height: +-6 mm.

Twist Pile Edged



Velour Pile Unedged







Mat Size	0.65 m x 1.5 m	0.65 m x 1.5 m	1 m x 1.5 m	1 m x 1.5 m
Material	Twist Pile	Velour Pile	Twist or Velour Pile	Velour Pile
Backing	Nitrile Edged	Vinyl Edged	PVC Edged	PVC Unedged
People Red	SDM000006	SDM000014M	SDM000008	SDM-Unedged01
People Blue	SDM000011	SDM000015M	SDM000013	SDM-Unedged04
Footprints Red	SDM000010	SDM000016M	SDM000012	SDM-Unedged03
<b>Footprints Blue</b>	SDM000007	SDM000017M	SDM000009	SDM-Unedged02



# Social Distancing & Sign Mats Floor mats to promote health and hygiene awareness including social distancing

• Communicate hygiene and social distancing rules to your staff or customers to limit the spread of Coronavirus. • Ideal for all public buildings including retail, hospitality, healthcare, supermarkets, and offices. • A cost effective and durable way to demonstrate that your business is 'COVID-19 Secure.' • No more expensive floor stickers but can be relocated and washed with ease. • Low profile borders to reduce the risk of trips. • Printed digitally for superb colour reproduction and definition. • Machine washable at 30°C. • Product Weight: 3 kg. • Product Height: 6 mm.

Mat Size	Part Number	Colour
600 mm x 400 mm (Pack of 2) Please Wait Here - Velour Pile with PVC Edging	SDM020005	Blue
600 mm x 400 mm (Pack of 2) Sanitise - Velour Pile with PVC Edging	SDM020007	Blue







# Branded Social Distancing Floor Mats Branded floor mats to promote social distancing available in standard and bespoke sizes

• Communicate social distancing rules to your staff or customers to reduce coronavirus spread. • Mats can be designed to include your logo and match your brand guidelines – creating a better experience for staff and customers. • Cost effective and durable way to demonstrate your commitment to health and safety. • Printed digitally for superb colour reproduction and definition. • Low profile borders to reduce the risk of trips. • Machine washable at 30°C. • Mats stay in place thanks to vinyl backing, but can also be relocated and washed unlike floor stickers. • Product Height: 6 mm.

Bespoke sizes

SDM000005







Choose from standard designs or create your own to compliment your brand. Adding your logo creates a strong visual impact while showing customers you care.



# Business Being COVID-19 Secure

Many businesses, such as supermarkets, manufacturers and logistics providers have remained open throughout the pandemic to serve key workers and key industries, and therefore have had to learn how to mitigate risk and meet government recommendations around health and safety as they go. Other industries such as hospitality and retail, having been closed for several months, are also now determining what their 'new normal' will look like. In either case we are in unchartered territory for most people, and are learning as we go.

### **Enforcing Social Distancing**

Whether it's general messaging at the door, one way systems, or reminders to stay hygienic, businesses are thinking about how people move around their workplaces in more detail than ever before. Every business and every building will have its own specific needs, but using frequent visual reminders such as

floor tape, floor mats, and signage, is the most effective way to communicate your rules when there may not be a member of staff available. Mats are great because they can be picked up and moved around.

### **Reducing cross-contamination**

Most responsible people now know to wash or sanitise their hands, not touch their face, and not touch things they don't need to. However, in nearly all businesses there is a level of human interaction required to communicate. SafeScreen Pro offers a clear barrier that can protect people at their desk or reception. Also, simply moving around a building or site also presents the hidden danger of contamination from footwear. Viruses fall to the floor and can be tracked around by people walking. With a disinfectant mat at key thresholds this form of contamination can be stopped dead.





# Social Distancing Scatter Mats for Schools Loose lay floor mats to promote social distancing in education

• Communicate social distancing rules to your pupils to reduce risk of coronavirus spread. • Ideal for nurseries, playgroups and primary schools. • Help children maintain social distancing quickly and easily during reading time, assemblies or whilst cueing. • Cost effective and durable way to demonstrate social distancing measures. • Available in packs of 8 scatter mats for classrooms. • Printed digitally for superb colour reproduction and a bright appearance that enhances the classroom. • Low profile borders to reduce the risk of trips. • Machine washable at 30°C. • Mats stay in place thanks to vinyl backing, but can also be relocated and washed unlike floor stickers. • Product Height: 6 mm.

Mat Size	Part Number	Colour
400 mm x 400 mm	SDM000004	Safari Animals (Pack of 8)

















With schools already reopen for some pupils and more due to return soon, social distancing rules will need to be followed for the safety of the children, their teachers, and the community. This is a big challenge for school staff, especially those in early years education.

The unprecedented circumstances we find ourselves in are a challenge for everyone. Even more for all those in schools and nurseries, as it is vital to communicate the importance of staying apart to children in addition to the pressures of the regular curriculum.

A lot of adults struggle with the advice given by scientists and the government and are not always sure what is the best way to deal with a situation. So how can young people be expected to understand and cope with this in order to be kept as safe as possible?

It is not only the classroom and the playground but also drop off and pick up times, lunch, and the handling of equipment has to be taken into consideration.

### Hygiene and distancing

New routines have to be established, washing hands more often, disinfecting surfaces and children not sitting or standing as close to their friends as they might like. This is a very big ask for all young people. Smaller children may struggle to understand the seriousness of the situation, and teenagers, who by nature are more likely to test rules and boundaries.

### Visuals help understanding and retention

We all know the saying – a picture paints a thousand words. And it is true, particularly when it comes to remembering advice when surrounded by distractions.

This starts with easy to apply and highly visible segmentation in drop off zones and in the playground, which can be achieved by using self-adhesive tapes or line making paint to highlight spaces for different groups and distances that should be kept in different colours.

### Social distancing help for little people

Clear and easy to understand messaging is provided with our social distancing mats especially designed for schools, colleges and universities. They are easy to lay out, stay in place but can be relocated with ease. The social distancing floor mats can be machine washed to keep their appealing look and their important message visible over time, unlike than floor stickers that may deteriorate and need to be replaced after time. For small children we have smaller mats with cute animal motives to mark areas of personal play space in nursery or classrooms.

























# COBAtape for Social Distancing Clearly define areas to promote social distancing with floor tape

• Communicate social distancing rules to your staff or customers to reduce coronavirus spread. • Ideal for all public buildings including hospitals, supermarkets, and offices, as well as factories and industrial settings. • Cost effective and durable way to demonstrate that you take health and safety seriously. • Self-adhesive backed vinyl floor tape quickly marks lines on floors. • Available in a number of colours, with plain and hazard striped options available to increase visibility further. • For pedestrian use only. • Clean surface prior to adhesion.

Size	Part Code	Colour
50 mm x 33 m	TP010002	Black
50 mm x 33 m	TP010702	Black/Yellow
50 mm x 33 m	TP020002	Blue
50 mm x 33 m	TP030002	Red
50 mm x 33 m	TP040002	Green
50 mm x 33 m	TP070002	Yellow
50 mm x 33 m	TP130002	White
50 mm x 33 m	TP130302	White/Red
50 mm x 33 m	TP130402	White/Green





# Orthomat® Social Distancing Mats Reduce standing fatigue and highlight social distancing

• Reduce strain and tiredness from standing with these comfortable foam mats. • Keep employees safe by communicating social distancing rules clearly. • Premium option has two layers for extended comfort and durability, and is suitable when workers are moving and turning more frequently. • Insulate standing workers against the impact of concrete floors. • Lightweight, so easy to transport and reposition. • Best suited to dry environments. • Textured surface provides attractive appearance. • Tapered edges to reduce trip hazards. • Fire tested to BS EN 13501-1.



Mat Size	Туре	<b>Product Height</b>	Colour	<b>Product Code</b>
0.9m x 1.5m	Orthomat® Standard	9.5mm	Black/Blue	AF010004SD
0.9m x 1.5m	Orthomat® Premium	12 5mm	Black/Blue	FF010008SD







Orthomat® Premium



# Hygimat A revolutionary hygienic anti-fatigue mat

Improve feeling of comfort and energy whilst standing at work.
 Ideal for any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail.
 Made from a revolutionary 'gel foam' material that combines the best in durability and comfort.
 Material also has anti-microbial properties
 Closed cell construction means that no liquids can penetrate the mat and reduce performance.
 Version with holes is ideal for wet workplaces in need of drainage.
 Oil resistant.
 Easily cleaned – can be cleaned with detergent or can be steam sterilised.
 Fire tested to BS EN 13501-1 and slip tested to DIN 51130.
 Material: Rubberised Gel Foam
 Product Height: 17 mm ±1 mm

Sizes	Black
0.6 m x 0.9 m (Solid surface)	HYS010001
0.9 m x 1.5 m (Solid surface)	HYS010002
0.9 m x 1.8 m (Solid surface)	HYS010003
0.6 m x 0.9 m (With holes)	HYG010001
0.9 m x 1.5 m (With holes)	HYG010002
0.9 m x 1.8 m (With holes)	HYG010003













# First-Step The first step to contamination control

• A hygienic pad of peel-off, disposable sheets, to protect against bacteria, mould and mildew. • The 'tacky' sheets capture dirt and dust from footwear and wheeled equipment for contamination control. • When the top sheet becomes soiled, simply peel off to reveal a clean layer. • Comes with self-adhesive backing to keep the mat in place. • Ideal for hospitals, clean rooms, general industrial environments, and any other area where hygiene is an important factor. • Product Height: 1.5 mm

Size	White	Blue
0.45 m x 1.17 m (Pack of 4)	WC000004	WC020004






# Diamond Grid Anti Bacterial Flexible matting for catering, hospitality and food processing industries

• Hygienic anti-microbial properties. • Oil resistant. • Anti-slip top surface for a safe footing in wet conditions. • Specially designed underside studs have exceptional water drainage properties. • Easily cleaned, rolled up and moved • Material: PVC + NBR (Oil Proof) Product Height: 8.5 mm

Sizes	Orange
1 m x 2.4 m	DG170001









# COBA Care Duo Zone Disinfectant Mat Sanitise and dry on the go! Ideal to support COVID-19 protection

- Resilient vinyl loops scrape dirt off shoes, while the disinfectant solution cleans and sanitises footwear.
   Loose lay on level surface, no installation necessary. Light and easy to relocate.
   Fill Zone
   with COBA Care Disinfectant Solution.
   Improves hygiene and contamination control by cleaning the soles of shoes and boots.
- Perfect for medium traffic, room-to-room contamination control.
- Suitable for schools, home use or internal office doorways. Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. Material: Made from natural and recycled rubber, which is biodegradable and recyclable. Product Height: 15 mm. Suitable for schools, day-care centres, small office blocks or home use.

Mat Size	1 Sanitise	2 Dry	Part Code
395 mm x 670 mm	Cushion Fall Dark Grey	Trio Brush Anthracite	CDM007
395 mm x 670 mm	Cushion Fall Dark Grey	Trio Scraper Grey	CDM008
395 mm x 670 mm	Cushion Fall Brown	Trio Brush Beige	CDM009

Fill zone 2 with liquid disinfectant.

• Scrape dirt off footwear in zone 1. •
Step into zone 2 to sanitise. Allow soles of footwear to immerse in disinfectant. •
Step onto the absorbent mat in zone 3 to dry excess liquid.















# COBA Care Trio Zone Disinfectant Mat Scrape, sanitise and dry footwear in 1, 2, 3! Ideal to support COVID-19 protection

• Improves hygiene and contamination control by scraping, sanitising and drying the soles of shoes and boots. • Loose lay on level surface, no installation necessary. • Light and easy to relocate.

• Fill Zone 2 with COBA Care Disinfectant Solution. • Perfect for medium traffic, room-to-room contamination control. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Material: Made from natural and recycled rubber, which is biodegradable and recyclable. • Product Height: 15 mm.

 $\bullet$  Mat Size: 395 mm x 995 mm.  $\bullet$  Suitable for schools, day-care centres, small office blocks or home use.

Part Code	1 Scrape	2 Sanitise	3 Dry
CDM004	Scraper Mat Black	Cushion Fall Dark Grey	Trio Brush Anthracite
CDM005	Scraper Mat Black	Cushion Fall Dark Grey	Trio Scraper Grey
CDM006	Scraper Mat Brown	Cushion Fall Brown	Trio Brush Beige











# Entra-Clean **HygienePlus**

# The washable doormat that actively kills germs


• Removes visible dirt and kills invisible microbes. • HygienePlus means the mat is treated with the EU-registered biocide, BI-OME registered with OEKO-TEX® an antimicrobial and virus reducing technology. BI-OME works by effectively killing bacteria when contact is made with the mat. • Although the treatment is a highly effective antimicrobial agent, it does not cause any skin irritations. • A new concept in entrance matting. • Improve floor level hygiene around your business – important whilst fighting COVID-19 and beyond. • More sustainable – less frequent washing required, and on lower temperatures. • Free of metals. • Fully machine washable – with no reduction in active cleaning power for the life of the mat. • Suitable for all facilities, in particular offices, hotels and leisure, retirement homes and healthcare settings. • Reduces annoying odours caused by bacteria and funghi.

Colour	Mat Size	Part Code
	0.6m x 0.9m	EC010001
	0.8m x 1.2m	EC010002
Anthracite	0.9m x 1.5m	EC010003
	1.2m x 1.8m	EC010004
	1.2m x 2.4m	EC010005
	0.6m x 0.9m	EC060001
	0.8m x 1.2m	EC060002
Grey	0.9m x 1.5m	EC060003
	1.2m x 1.8m	EC060004
	1.2m x 2.4m	EC060005
	0.6m x 0.9m	EC050001
	0.8m x 1.2m	EC050002
Brown	0.9m x 1.5m	EC050003
	1.2m x 1.8m	EC050004
	1.2m x 2.4m	EC050005









# Entra-Clean HygienePlus

# A Revolution in Floor-Level Cleanliness







### How does the new Entra-Clean Hygiene+ work?



Hygiene+ is a game changer. In addition to the high quality materials and construction, Entra-Clean Hygiene+ is treated with BI-OME, an antimicrobial and virus Hygiene\* reducing technology. Even if you are not actively cleaning, the doormat remains clean on microbial level and the

technology remains active throughout the lifespan of the mat.

# What is BI-OME treatment?

BI-OME is a biocide agent that has a durable viral reducing effect on surfaces such as entrance mats. The treatment with BI-OME can reduce the viral activity of enveloped viruses in a time span of 2 hours, while the half life (time it takes for 50% of the viruses not to become infectious) is about 4 hours for untreated surfaces.

### What happens if the doormat is cleaned or machine washed?

You can clean Entra-Clean Hygiene+ like any other doormat, you can even machine wash it. The treatment with BI-OME stays on the fibres and remains active, this means you can wash it on lower temperatures to save energy and still have a doormat that is clean on microbial levels.

### BI-OME is a registered and tested treatment

The **BI-OME** treatment is registered with **OEKO-TEX®** to guarantee maximum consumer safety and BPR (PT2, PT7, PT9) registered with ECHA (European Chemicals Agency).


# Benefits of a Hygiene+ treated doormat:

- Elimination of bacteria
- Cleanliness on a microbial level
- Reduced odour
- Possible reduction of viral activity of enveloped viruses
- Less water consumption, less frequent washing required
- Energy saving by washing on low temperatures
- Does not cause skin irritation
- Free of metals
- Permanent technology



### Other products available with HygienePlus treatment

The new BI-OME treatment technology is also available on our **Promomat** and Cosmo doormats. Minimum order quantities apply - please ask for details.



# COBA Care Disinfectant Boot Bath Industrial grade hygiene mat that reduces footwear contamination, ideal to support COVID-19 protection

• Flexible natural rubber nodules deliver excellent dirt scraping and trapping action, while the disinfectant solution cleans and sanitises footwear. • 100% Recycled rubber. • Loose lay on level surface, no installation necessary. • Fill base with COBA Care Disinfectant Solution. • Improves hygiene and contamination control by cleaning the soles of shoes and boots. • Suitable for industrial environments where hygiene is important e.g. mining, construction, engineering and farming. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Combine with an absorbent mat to dry footwear when stepping out. • Material: Recycled Rubber. • Product Height: 55 mm. • Inside Tray Depth: 44 mm.

	H

Mat Size	Part Code	Weight	Disinfectant
810 mm x 975 mm	BOOT-819950	14 kg	up to 7.3 litres

Fill base with liquid disinfectant. • Step in to scrape and sanitise. • Specially designed nodules scrape dirt and allow footwear to immerse in disinfectant. • Combine with an absorbent mat to dry footwear of excess liquid.





# COBA Care Disinfectant Shoe Bath The hygienic mat that reduces footwear contamination, ideal to support COVID-19 protection

• Flexible natural rubber nodules deliver excellent dirt scraping and trapping action, while the disinfectant solution cleans and sanitises footwear. • 100% Recycled rubber. • Loose lay on level surface, no installation necessary. • Fill base with COBA Care Disinfectant Solution. • Improves hygiene and contamination control by cleaning the soles of shoes and boots. • Suitable for offices and other commercial buildings, as well as any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Combine with an absorbent mat to dry footwear when stepping out. We recommend COBAwash®, Wash & Clean, Microfibre Doormat or the Social Distancing Floor Mat. • Material: Recycled Rubber. • Product Height: 26 mm. • Inside Tray Depth: 16 mm.

Mat Size	Part Code	Weight	Disinfectant
605 mm x 810 mm	BOOT-618119	3 kg	up to 2 litres







# COBA Disinfectant Mat Scrapes and sanitises footwear in one go, ideal to support COVID-19 protection

• Resilient vinyl loops scrape dirt off shoes, while the disinfectant solution cleans and sanitises. • Non-slip vinyl backing and durable, ramped edging reduce the risk of tripping. • Suitable for any location where hygiene is important such as healthcare, food manufacturing, catering, hospitality, clean rooms or retail. • Loose lay on level surface, no installation necessary. • Combine with an absorbent mat to dry footwear when stepping out. We recommend COBAwash®, Wash & Clean, Microfibre Doormat or the Social Distancing Mat. • NEW: Small mat, perfect for low traffic, room-to-room contamination control. • Material is REACH Compliant. • Product Height: 15 mm.

Mat Size	Part Code	Weight	Disinfectant
600 mm x 500 mm	CDM010	2.5 kg	up to 1 litre
700 mm x 900 mm	CDM001	5 kg	up to 2.25 litres
1300 mm x 1600 mm	CDM002	10 kg	up to 4 litres

Fill base with liquid disinfectant. • Step in to scrape and sanitise. • Specially designed nodules scrape dirt and allow footwear to immerse in disinfectant. • Combine with an absorbent mat to dry footwear of excess liquid.





# **Brand your mats!**

Amplify your brand with customised high quality domed labels. Free with orders of 50 units or more.



### Add a little colour

Choose from 20 vibrant colours.

























Purple









# COBA Care Disinfectant Solution CaterQAC, a quaternary ammonium based disinfectant, is highly recommended for use against COVID-19

• Ideal disinfectant solution for use with disinfectant mats, to sanitise footwear. • Application for disinfectant mats: • Add recommended amount to the mat basin. Step onto the mat, covering base of footwear in dilution. Gently scrape and sanitise by wiping soles on the mat surface. Renew the solution when visibly dirty. • Use with COBA Disinfectant Mat or Fingertip Disinfectant Mat • For use on all surfaces, in all environments. • Food approved – SANS 1828. • PH in dilution: 10.5 +- 0.5. • Active ingredient: Di-n-decyl dimethyl ammonium chloride. • Avoid contact with skin and eyes (see product label for further precautions). • Strength designation: 4.6%. • COBA products are REACH compliant. Store below 30°C.

Quantity	Part Code
5L (300ml to 10L water)	CATERQAC-5LT
20L (300ml to 10L water)	CATERQAC-20LT














# SafeScreen Pro Front

# SafeScreen Pro **Protect employees and customers** from airborne contamination

- Simple to assemble and quick to install, no measuring required
- Provides an effect yet simple barrier against germs spread by talking, coughing or sneezing. • An economical covid-19 solution manufactured in the UK. • Strong magnetic fixings combined with self-adhesive pads provide stability and reliability. • Clear plastic allows employees to communicate and minimises disruption
- Flexible shields can be positioned to suit desks of different shapes and sizes. • Ideal for use in offices, receptions, restaurants, schools and more. • Screens are 100% recyclable.


Size	Description	Product Code
650mm high x 850mm length	SafeScreen Pro Front Small	SSP000001
850mm high x 1800mm length	SafeScreen Pro Front Medium	SSP000002
850mm high x 2600mm length	SafeScreen Pro L-Shape Large	SSP000004
850mm high x 2600mm length	SafeScreen Pro U-Shape Large	SSP000006
850mm high x 850mm length	SafeScreen Pro Service Screen	SSP000007





# Microfibre Doormat Washable doormat with super absorbency and microfibre technology

• Hygienic microfibre technology with flexible, ultra-fine fibres provide deep-cleaning action. • Effectively penetrates those hard to reach treads on footwear. Friction from the fibres generates a static charge that attracts and traps dust/debris. • Effectively penetrates those hard to reach treads on footwear and wheeled trollies. • Superior 'brushing and wiping' with 'rapid dry' properties that outperform cotton. • Luxuriously soft pile that keeps entrances looking smart, stylish and free from lint. • Environmentally-friendly – does not require chemical pre-treatment or washing detergents. • Material: Microfibre • Product Height: 8 mm



Mat Size	Product Code
0.9m x 0.6m Black/Grey	MF010001
1.5m x 0.9m Black/Grey	MF010002
Microfibre Mat Black/Grey 1.2m x 1.8m	MF010003
Ulti-Mat Microfibre Black/Grey 450mm x 750mm	MF010005
Ulti-Mat Microfibre Brown 450mm x 750mm	MF050005





# Superdry Heavy Traffic Reduce dirt and water brought in by forklift trucks

• Waffle pattern absorbs moisture and scrapes away dirt from forklift wheels. • Reduces the risk of slips caused by water ingress. • Reduces the risk of forklifts skidding or losing control on contaminated floor surfaces. • Helps to keep cleaning costs down during bad weather. • Simple to install using double sided adhesive tape. • Large mats can be installed individually or laid next to each other to cover larger areas. • Protects sub floor from damage. • Easy to clean with a vacuum or stiff brush. • Material: PP carpet with Rubber backing • Product Height: 10 mm

 Sizes
 Charcoal

 1.15 m x 1.8 m
 WHT010005












# Superdry Doormat High performance mat with optimum moisture retention

• Heavy-duty entrance matting, ideal for office spaces and general workplaces. • Raised, reinforced 'waffle' pattern scrapes dirt away from footwear, helping to reduce the amount of dirt/debris brought into the building. • Exceptional moisture wiping properties. Able to retain up to 5.4 litres water/ m². • Lipped edges to help reduce tripping hazards and rubber backing for slip-resistance. • Material: PP carpet with Rubber backing • Product Height: 10 mm

Part Number	Size	Colour
WH010001	0.6 m x 0.9 m	Black
WH010003	0.9 m x 1.5 m	Black
WH060001	0.6 m x 0.9 m	Grey
WH060004	0.9 m x 1.5 m	Grey



# COBAwash® A real asset in floor protection for domestic and commercial use

Easy to clean, practical and machine washable. • Easy care, smaller sizes\* can be washed in a domestic washing machine. (All sizes can be washed in an industrial washing machine.) • Carpet pile can retain up to 3.5 litres/ m<sup>2</sup> of moisture. • Also traps up to 800g of debris/dry dust. • Bleach and fade resistant – 11-year warranty against significant colour loss. • Material: PA • Product Height: 8mm







Sizes	Black/Blue	Black/Red
0.85m x 0.6m	LM010201	LM010301
1.5m x 0.85m	LM010202	LM010302
1.75m x 1.15m	LM010203	LM010303

Sizes	Black/Brown	Black/Grey
0.85m x 0.6m	LM010501	LM010601
1.5m x 0.85m	LM010502	LM010602
3m x 0.9m	-	LM010608
1.75m x 1.15m	LM010503	LM010603



Black/Steel






Black/Red Black/Blue







# Superdry Heavy Traffic Reduce dirt and water brought in by forklift trucks


Waffle pattern absorbs moisture and scrapes away dirt from forklift wheels. • Reduces the risk of slips caused by water ingress. • Reduces the risk of forklifts skidding or losing control on contaminated floor surfaces. • Helps to keep cleaning costs down during bad weather. • Simple to install using double sided adhesive tape. • Large mats can be installed individually or laid next to each other to cover larger areas. • Protects sub floor from damage. • Easy to clean with a vacuum or stiff brush. • Material: PP carpet with Rubber backing • Product Height: 10mm

Sizes	Charcoal	
1.15 m x 1.8 m	WHT010005	













# Enviro-Mat Doormat made from 100% recycled materials

Sturdy doormat manufactured from 100% recycled materials. • Surface is made from recycled plastic bottles, while the anti-slip backing is made from recycled tyres. • Classic raised pattern surface creates a stylish finish. • Effectively scrapes and traps dirt/debris. • Anti-slip backing helps grip to the floor surface. • Total carpet coverage eliminates torn borders. • UV and faderesistant surface • Product Height: 5.1mm








Grev

Blue

Sizes	Grey	Blue
0.6 m x 0.9 m	EM060001	EM020001
0.9 m x 1.5 m	EM060002	EM020002




# Alba Absorbent carpet entrance matting to protect interior floor surfaces

Adaptable carpet entrance matting for high volume entrance areas, walkways and corridors. • Nylon pile is highly absorbent and also withstands crushing. • Suitable for glue down, or floor surface applications. • Available with optional edging depending on the requirements of the application. • Can be used as part of a two-step system in heavy traffic environments. • Exceptionally durable carpet made from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Material: PP • Product Height: 7.5mm













cite



## Wash & Clean Economical washable doormat

Stylish, soft-to-the-touch nylon pile doormat.

• Machine washable at 40 degrees.

• Absorbent to 1.5 litres per m².

• PVC

non-slip back. Material: 100% Polyamide

• Product Height: 9mm





Sizes	Black	Grey
900mm x 600mm	WAC010001	WAC060001
1200mm x 900mm	WAC010004	WAC060004
1500mm x 900mm	WAC010002	WAC060002
1800mm x 1200mm	WAC010005	WAC060005









# Microfibre Doormat Washable doormat with super absorbency and microfibre technology

Multi-action entrance mat with hygienic microfibre technology. • Flexible, ultra-fine fibres (finer than a human hair) provide deep-cleaning action on passing footwear.
• Friction from the fibres generates a static charge that attracts and traps dust/debris. • Effectively penetrates those hard to reach treads on footwear and wheeled trollies. • Superior 'brushing and wiping' with 'rapid dry' properties that outperform cotton. • Luxuriously soft pile that keeps entrances looking smart, stylish and free from lint. • Environmentally-friendly – does not require chemical pre-treatment or washing detergents. • Material: Microfibre • Product Height: 8mm

Sizes	Black/Grey
0.9m x 0.6m	MF010001
1.5m x 0.9m	MF010002
1.8m x 1.2m	MF010003









Black/Grey

#### Spectra Clean

#### Make an instant impact at the point of entry

High quality rugged matting material available in stunning colourways. • Hardwearing. • Ideal for use in logomat designs – choose from the 25 colours to recreate your design. • Heavy weight pile and large nib design provides outstanding scrubbing action whilst absorbing moisture to save your floors from dirty footprints. • Needlepunch construction provides optimal crush resistance. • Edges will not unravel or fray. • Product Height: 11mm

#### **CHOOSE FROM 25 COLOURS**



SC030001

SC030001C

SC230001

SC230001C


2m x 23m

2m x per linear metre









Pink





Sky Blue	Baby Blue	Yellow
White	Burgundy	Turquoise

Sizes	Black	Light Beige	Golden Beige	Dark Brown	Brown	Charcoal	White	Grey	Navy Blue	Apple Green
2m x 23m	SC010001	SC210001	SC220001	SC050001	SC190001	SC110001	SC130001	SC060001	SC180001	SC420001
2m x per square metre	SC010001C	SC210001C	SC220001C	SC050001C	SC190001C	SC110001C	SC130001C	SC060001C	SC180001C	SC420001C
	Wine Red	Dark Red	Orange	Burgundy	Yellow	Steel Blue	Sky Blue	Baby Blue	Dark Green	Purple
2m x 23m	SC320001	SC310001	SC170001	SC100001	SC070001	SC250001	SC020001	SC430001	SC040001	SC200007
2m x per square metre	SC320001C	SC310001C	SC170001C	SC100001C	SC070001C	SC250001C	SC020001C	SC430001C	SC040001C	SC200007C
	Pod	Cold	Cond	Turquoico	Dink	_				

SC410001

SC240001

SC240001C

Purple

SC260001

SC260001C

Compatible with Trio Scraper, Trio Brush, Super Scraper, Plan.a and the Premier range.

# GLENRAND M-1-B

# Super Contract Fall Distinctive open looped matting

The resilient open loop design scrapes dirt from shoes allowing it to fall through the mat for easy cleaning. • Soft, compounded PVC looped surface traps dirt, debris and moisture. • Suitable for recessed matwells, featuring a non-slip mesh backing to prevent shrinkage. • Ideal for personalised logos or messages • Choose from 20 colours. • Product Height: 15mm



Sizes	Grey	Dark Grey	White	Turquoise	Green	Dark Green	Blue	Baby Blue	Black	Brown
1.2m x 12m	LU061212	LU111212	LU131212	LU411212	LU431212	LU041212	LU021212	LU241212	LU011212	LU051212
1.2m x per linear metre	LU061212C	LU111212C	LU131212C	LU411212C	LU431212C	LU041212C	LU021212C	LU241212C	LU011212C	LU051212C
	Gold	Beige	Burgundy	Orange	Pink	Yellow	Lime Green	Navy Blue	Purple	Red
1.2m x 12m	LU231212	LU211212	LU101212	LU171212	LU261212	LU071212	LU421212	LU181212	LU201212	LU031212
1.2m x per linear metre	LU231212C	LU211212C	LU101212C	LU171212C	LU261212C	LU071212C	LU421212C	LU181212C	LU201212C	LU031212C





# Cushion Fall Distinctive closed looped matting

The resilient vinyl loops scrape dirt off shoes. • Soft, compounded PVC looped surface traps dirt, debris and moisture. • The mat features a non-slip vinyl backing which keeps the dirt and moisture off the floor. • Ideal for personalised logos or messages. • Choose from 20 colours. • Product Height: 8mm



Sizes	White	Grey	Dark Grey	Baby Blue	Blue	Navy	Turquoise	Green	Dark Green	Beige
1.2m x 12m	LB131212	LB061212	LB111212	LB241212	LB021212	LB181212	LB411212	LB431212	LB041212	LB211212
1.2m x per linear metre	LB131212C	LB061212C	LB111212C	LB241212C	LB021212C	LB181212C	LB411212C	LB431212C	LB041212C	LB211212C
	Brown	Gold	Yellow	Orange	Red	Burgundy	Black	Purple	Pink	Lime Green
1.2m x 12m	LB051212	LB231212	LB071212	LB171212	LB031212	LB101212	LB011212	LB201212	LB261212	LB421212
1.2m x per linear metre	LB051212C	LB231212C	LB071212C	LB171212C	LB031212C	LB101212C	LB011212C	LB201212C	LB261212C	LB421212C

#### Coir Classic dirt-scraping entrance mat made from coconut husks

Natural doormat made from coconut husk fibres. • Hardwearing and absorbent, coir fibres are renowned for their dirt-scraping properties. • Suitable for indoor use. Can be used on floor surfaces or installed into matwells. • Heavyduty, anti-slip vinyl backing for minimum movement. • Can be printed on to create logomats. • Coir is a natural product and may contain minor variations and irregularities that are characteristic of the husk fibres. Surface printing of logos onto the coir will naturally fade and shedding may occur. Material: Natural coir fibre • Product Height: 17mm or 23mm







Natural

Sizes	17mm	23mm		
2m x 12.5m	CM050013	CM050014		
Per square metre	CM050013C	CM050014C		







#### Polyprint Logo Mat Ideal loose lay logo mat for intricate designs

A cut-pile nylon mat with a protruding edge anti-slip rubber backing. • Well suited for offices and light commercial applications. • Tufted finish scrapes dust and moisture • Product Height: 5 - 7mm











Standard	colours	(max	lenath:	4.2m)

Standard Colodr's (max length: 4.2m)	
900mm x per square metre	PP010001
1.2m x per square metre	PP010001
1.5m x per square metre	PP010001
Funky Colours (max length: 4.2m)	
900mm x per square metre	PP010003
1.2m x per square metre	PP010003
1.5m x per square metre	PP010003
Custom size (max size: 4.2m x 1.5m)	
Pantone Colours available on request	PP010002

F639


F637



# Superdry High performance mat with optimum moisture retention

Heavy-duty entrance matting, ideal for office spaces and general workplaces. • Raised, reinforced 'waffle' pattern scrapes dirt away from footwear, helping to reduce the amount of dirt/debris brought into the building. • Exceptional moisture wiping properties. Able to retain up to 5.4 litres water/ m². • Lipped edges to help reduce tripping hazards and rubber backing for slip-resistance. • Material: PP • Product Height: 7mm





Sizes	Black	Grey
0.6 m x 0.9 m	WH010001	WH060001
0.9 m x 1.5 m	WH010003	WH060004

# Superdry Heavy Traffic Forklift Mat Available Now! Page 68, 71 & 89

#### Bevelled PVC Edging

Bevelled PVC Edging offers a neat finish to loose lay mats. • Edging is adhered to mats to prevent people from tripping over the mat and to ensure smoother trolley movement. • Material: PVC • Product Height:10mm height (40mm wide), 15mm height (50mm wide)

Size	Part Code
40mm x 1m x 10mm	EDGEPVC9.5
50mm v 1m v 15mm	EDGEBVC14




#### 40mm Edging

# 

The 40mm edging is compatible with the following products:


- Cushion Fall
- Spectra Clean
- Berber Point
- Alba
- Trio Brush

#### 50mm Edging



The 50mm edging is compatible with the following products:

- Super Contract Fall
- Trio Scraper
- Super Scraper
- 23mm Coir



#### Fingertip

#### Natural rubber doormat gives dirt the brush-off

Flexible rubber nodules deliver excellent dirt scraping and trapping action. • Dirt is effectively brushed off then retained in a solid base, keeping floors cleaner for longer.
• Suitable for offices and other commercial buildings, especially where mud and debris often end up indoors. • Suitable for most weather conditions, making it ideal for outdoor use. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Material: NBR • Product Height: 11mm-13mm



Sizes	Black
0.8 m x 1 m	FT010002
0.9 m x 1.5 m	FT010006





#### **COBAscrape**

### A Multi-purpose doormat, suitable for outdoor and indoor use

Multi-purpose doormat that scrapes away dirt and also retains water. • Raised pattern scrapes away dirt and debris from footwear. • Non-slip, helping to reduce the risk of slipping on wet floors. • Holds up to 2.6 litres of water/ m² or 1.5kg of dry dust/ m². • Suitable for indoor or outdoor use. • Slip tested to DIN 51130. • Material: NBR • Product Height: 6mm



Sizes	Part Code
0.85 m x 1.5 m	CS010002
1.15m x 1.75m	CS010004





#### Rampmat

#### A popular honeycomb mat for all environments

A popular choice of doormat, suitable for most climates. • The raised honeycomb design provides grip while scraping away dirt and moisture. • Moulded bevelled edging for trip-resistance and wheeled access. • Manufactured from durable rubber. • Slip tested to DIN 51130. • Material: NBR • Product Height: 10mm



DIACK
RMR010001
RP010001







# First-Step The first step to contamination control

A hygienic pad of peel-off, disposable sheets, manufactured from an anti-microbial agent to protect against bacteria, mould and mildew. • The 'tacky' sheets capture dirt and dust from footwear and wheeled equipment for contamination control. • When the top sheet becomes soiled, simply peel off to reveal a clean layer. • Comes with self-adhesive backing to keep the mat in place. • Ideal for hospitals, clean rooms, general industrial environments, and any other area where hygiene is an important factor. • Product Height: 1.5mm

Size	White	Blue
0.45 m x 1.17 m (Pack of 4)	WC000004	WC020004







#### **Cleaning Entrance Matting**

Did you know it can cost over **R9 000** to remove **1kg** of dirt once inside a commercial building? As it's possible for 1 person to walk in 58 grams of dirt per day, **1000 people** in **20 days** would generate **11kg** – or almost **R110 000** in potential monthly cleaning costs.

A slip or trip due to walked in dirt or liquid could even lead to serious injuries or legal action and compensation claims. Fortunately effective Entrance Matting can reduce walked in dirt by up to **90%**!

Once you have the right entrance matting in place, a well planned strategy for regular mat cleaning and maintenance is essential for optimum performance, product lifespan and return on investment.

Maximise on effectiveness and download the full Cleaning and Maintenance Guide at www.cobaafrica.com





# Table Bay Hotel Cape Town, South Africa

# TABLE BAY HOTEL experiences the benefits of COBAdeluxe Bar Mats.

COBAdeluxe Rubber Bar Mats have been selected and installed at the magnificent Table Bay Hotel in Cape Town, South Africa.

The luxurious five star hotel, with views out to Table Mountain and the Atlantic Ocean, was opened in 1997 by no other than, Nelson Mandela. Its popularity means that its facilities are in high demand, and this includes its bar areas. They are located both inside the hotel and outside, around the pool. Recognising the need for quality floor mats, Table Bay Hotel chose COBAdeluxe bar mats to enhance floor safety and reduce glass breakage.

Its 19mm thickness provides a comfortable 'anti-fatigue' standing surface for bartenders who are very often on their feet for prolonged periods of time. The matting also features open holes which allow spilt liquids to drain away from the surface of the mat, to reduce the risk of slipping.

The other major benefit of COBAdeluxe is that it helps to reduce glass and crockery breakage – dropped glassware tends to bounce rather than break.

"The quality of the mats is good and they help our bar staff a lot. I really like the fact that a bottle can drop and actually not break, not like some other bar mats that can be too hard – believe me, I have tested it!" says Camissa Restaurant Manager, Heinrich La Meyer.



#### COBAdeluxe Fatigue relief ideal for bar areas

Effective in reducing glass breakage. • Creates a safe and very comfortable standing surface. • Its thickness makes it a durable mat that can withstand impact. • Quickly cover large areas if used as a connecting system. • Made from hardwearing rubber providing longevity. • Product Height: 18.5mm






Edging	Black	Yellow
Long edge 1565mm x 50mm	P240-L1093-C09	P240-L1093-C09-YE
Short edge 1074mm x 50mm	P240-L1092-C09	P240-L1092-C09-YE









#### **Bubblemat**

#### Smart anti-fatigue mat with a distinctive bubbled surface

Raised bubble patterned surface stimulates feet and legs to aid circulation. • Underfoot cushioning also makes prolonged occupational standing more comfortable. • Complete mats suitable for workstations and interlocking sections available for longer production lines. • Material: Standard - Natural rubber. • Product Height: 14mm









Sizes	Black	Safety
0.6 m x 0.9 m (edged all round)	BF010001	BF010701
0.9 m x 1.2 m (edged all round)	BF010002	BF010702







#### Tough Deck MK3 100% Recycled Rubber & Plastic Drainage Mats

Anti-fatigue, non-slip, drainage and protection mat. • Combination of substantial product height and large holes offers excellent drainage. • An economical yet heavy-duty matting solution. • Easy DIY installation with connectors that conceal joins. • Ideal for industrial use, especially in areas prone to liquid spillage. • Ramped edges to prevent trips are available in black or yellow. • Slip tested to DIN 51130. • Material: Recycled rubber and plastic • Product Height: 20 mm

Size	Black	Yellow
480mm x 480mm	RUBMK3	RUBMK3Y
Edging	Black	Yellow
480mm x 180mm (F)	RUBMK3RF	RUBMK3FY
480mm x 180mm (M)	RUBMK3RM	RUBMK3RY



# Unimat Heavy-duty anti-fatigue matting for kitchen areas and behind bars.

Versatile rubber runner. • Open holes provide excellent drainage. • A real asset in helping to prevent slipping in wet/oily areas. • Easy to roll up and move to new locations or for cleaning. • Slip tested to DIN 51130. • Product Height: 10mm









Sizes	Part Code	
900mm x 1m	UM010002C	
900mm x 10m	UM010002	









#### Flexi-Deck Anti-slip floor tiles suitable for kitchen and catering

Anti-slip surface reduces slip risks in wet conditions. • The design allows the floor tiles to stay dry on the top surface for a safer footing. • Open holes and specially designed underside studs have exceptional water drainage properties.

exceptional water drainage properties.

• Tiles are flexible and easy to move for ease of cleaning, relocation or individual replacement.

• Material offers a number of hygienic and durability benefits.

• Not just for use on floors. Can also be used on bar shelves as illustrated.

• Product Height: 13mm

















Rlaci



Sizes	Black	Blue	Red	Green	Grey
Tile 30 cm x 30 cm (Pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
Female Edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
Male Edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
Corner (Pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004



#### Diamond Grid Flexible matting for catering, hospitality and food processing industries

Flexible vinyl mat that can be rolled, lifted and relocated with ease. • Designed to reduce slipping in wet environments.

- Hygienic anti-microbial properties; Oil resistant. 
   Liquid efficiently drains through open holes in the diamond grid surface.
- •Specially designed underside 'studs' enhance drainage performance. Material PVC Product Height: 8.5mm









Size	Part Code
1m x 2.4m	DG170001



#### GripSafe Ideal non-slip liner for kitchen sides, shelves, drawers and trays.

• Fit inside drawers to reduce glassware moving around. • Cuts easily, so you can fit to any space. • Very light - doesn't add extra weight to drawers or cabinets. • Product Height: 4mm

Sizes	Black
0.6 m x 1.2 m	GS010002
0.6 m x 10 m	GS010001





# First-Step Tacky mats for contamination control, ideal for kitchens.

A hygienic pad of peel-off adhesive coated, disposable sheets, manufactured from an anti-microbial agent to protect against bacteria, mould and mildew. • The 'tacky' sheets capture food debris from footwear and wheeled equipment for contamination control. • When the top sheet becomes soiled, simply peel off to reveal a clean layer. • Comes with self-adhesive backing to keep the mat in place. • Product Height: 1.5mm

Size	White	Blue
0.45 m x 1.17 m (Pack of 4)	WC000004	WC020004





White Blue







#### Rampmat Banish cold hard concrete floors with our entry level rubber anti-fatigue mat

Provide standing relief to all workers with this economical antifatigue mat. • Raised circular surface provides effective slip resistance. • Open drainage holes capture spilt liquids, swarf or other debris to help prevent slips. • Moulded ramped edges to reduce the risk of trips and allow wheeled access. • Made from hardwearing rubber for durability. • Slip tested to DIN 51130.• Product Height: 10mm





Sizes	Black
0.9 m x 1.5 m	RP010001
0.8 m x 1.2 m	RMR010001











#### K-Mat Reduce fatigue and slips on greasy floors

Contains nitrile to offer the best resistance to oils and chemicals. • Ideal for food processing and manufacturing locations due to its excellent resistance to grease, fats and detergents. • Easily cleaned in a commercial washing machine. • Raised pattern surface for exceptional slipresistance (tested to DIN 51130). • Open holes efficiently drain liquids and capture debris. • Hygienic anti-microbial properties make it suitable for food processing locations. • Product Height: 9mm












Sizes	Part Code
0.85 m x 1.45 m	KM010001
0.85 m x 2.9 m	KM010002







#### Hygimat A revolutionary hygienic anti-fatigue mat

Improve feeling of comfort and energy whilst standing at work. • Ideal for any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. • Made from a revolutionary 'gel foam' material that combines the best in durability and comfort. • Material also has anti-microbial properties • Closed cell construction means that no liquids can penetrate the mat and reduce performance. • Version with holes is ideal for wet workplaces in need of drainage. • Oil resistant. • Easily cleaned – can be cleaned with detergent or can be steam sterilised. • Fire tested to BS EN 13501-1 Class Dfl - s1 and slip tested to DIN 51130. • Material: Rubberised Gel Foam • Product Height: 17mm ±1mm
















Sizes	Black		
0.6 m x 0.9 m (Solid surface)	HYS010001		
0.9 m x 1.5 m (Solid surface)	HYS010002		
0.9 m x 1.8 m (Solid surface)	HYS010003		
0.6 m x 0.9 m (With holes)	HYG010001		
0.9 m x 1.5 m (With holes)	HYG010002		
0.9 m x 1.8 m (With holes)	HYG010003		







# Orthomat® Comfort Plus Thicker foam anti-fatigue mat for dry workplaces

A thicker, single layer foam anti-fatigue mat for maximum levels of comfort. • Insulates against cold concrete floors. • Best suited to dry environments. • Ideal for light or moderate industrial use. • Checkerplate surface provides attractive appearance. • Available in mats and rolls. • Fire tested to BS EN 13501-1 Class Cfl - s1. • Material: Open Cell PVC (Foam) • Product Height: 15mm



Sizes	Black
0.9 m x 18.3 m	OCP0100003
0.9 m x per linear metre	OCP010003C





#### DeckStep Ribbed vinyl matting for swimming pools

Raise people's feet off wet floor surfaces.

Reduce the risk of slips by keeping feet above surface water.

Provides a more comfortable barefoot walking surface than tiled floors.

Textured surface provides slip resistance.


Flexible and lightweight – easy to move and clean.

Ribs are welded together for strength.

Slip tested to DIN 51097.

Material: PVC

Product Height: 11.5mm ±0.5mm









Sizes	Black	Blue	Red	Grey
0.59 m x 10 m	DS010610	DS020610	DS030610	DS060610
0.59 m x per linear metre	DS010610C	DS020610C	DS030610C	DS060610C
1.2 m x 10 m	DS011210	DS021210	DS031210	DS061210
1.2 m x per linear metre	DS011210C	DS021210C	DS031210C	DS061210C



#### Fatigue Lock Premium mid-size interlocking anti-fatigue tile

This extra thick tile provides comfort and fatigue relief for standing workers. • Precision designed tiles seamlessly clip together for smooth raised floor surface.

- Convenient tile size allows for easy planning. Can be used to cover large or unusually shaped workstations. • Made from rubber for durability, slip, and impact resistance. • Tile option with holes is ideal for wet workplaces in need of drainage.
- Solid and holed version can be used together in one installation. Ramped edges prevent trips and are available in black or yellow. • Easily cleaned with a jet washer or hose. • Slip tested to DIN 51130. • Material: Rubber, including 25% NBR • Product Height: 24mm













Tile Size	Black		
0.5 m x 0.5 m (Solid surfa	ce)	FLS010001	
0.5 m x 0.5 m (With holes	)	FL010001	
Edging	Black	Yellow	
Corner Edge	FLC010003	FLC070003	

FLE010002M

FLE010002F







FLE070002M

FLE070002F







# Superdry Heavy Traffic Reduce dirt and water brought in by forklift trucks

Waffle pattern absorbs moisture and scrapes away dirt from forklift wheels. • Reduces the risk of slips caused by water ingress. • Reduces the risk of forklifts skidding or losing control on contaminated floor surfaces. • Helps to keep cleaning costs down during bad weather. • Simple to install using double sided adhesive tape. • Large mats can be installed individually or laid next to each other to cover larger areas. • Protects sub floor from damage. • Easy to clean with a vacuum or stiff brush. • Material: PP carpet with Rubber backing • Product Height: 10mm

Sizes	Charcoal
1.15 m x 1.8 m	WHT010005







#### Superdry High performance mat with optimum moisture retention

Heavy-duty entrance matting, ideal for office spaces and general workplaces. • Raised, reinforced 'waffle' pattern scrapes dirt away from footwear, helping to reduce the amount of dirt/debris brought into the building. • Exceptional moisture wiping properties. Able to retain up to 5.4 litres water/ m². • Lipped edges to help reduce tripping hazards and rubber backing for slip-resistance. • Material: PP • Product Height: 7mm





Sizes	Black	Grey	
0.6 m x 0.9 m	WH010001	WH060001	
0.9 m x 1.5 m	WH010003	WH060004	





#### KwikLok 100% Recycled PVC Interlocking Floor Tiles

An ideal low cost solution for refurbishing floor surfaces • Easy DIY installation - no adhesive required. • Installation instructions provided. • Non-conductive and fire resistant. • An ideal low cost solution for refurbishing floor surfaces. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight or extreme temperatures. • Material: 100% recycled PVC • Product Height: 6mm


Size	6mm
465mm x 465mm	RUBKL6
Edging (Only on special order)	6mm
465mm x 30mm	RUBLKR6





# Solid Fatigue-Step Superior floor protection for your gym

Easy install interlocking solid surface tiles. • Ideal flooring for 'cross fit' style gyms. • Absorbs the impact of heavy equipment such as free weights and medicine balls. • Non porous rubber – sweat and other liquids cannot penetrate into the mat. • Increases safety, as dropped equipment bounces and rolls less. • Helps to reduce noise levels. • Individual tiles can be moved and replaced with ease. • Slip tested to DIN 51130. • Easy to clean and maintain. • High durability. • Optional bevelled edging in yellow or black. • Material: Natural rubber with 25% NBR. • Product Height: 18mm



Tile Size	Black		
0.9 m x 0.9 m	ST010001		

Fatigue-Step Edging	Black	Yellow
Female Corner Edge	SS010002F	SS070002F
Mala Carpar Edga	SS010000M	SS070000M





#### DeckStep Ribbed vinyl matting for swimming pools

Raise people's feet off wet floor surfaces.

Reduce the risk of slips by keeping feet above surface water.

Provides a more comfortable barefoot walking surface than tiled floors.

Textured surface provides slip resistance.


Flexible and lightweight – easy to move and clean.

Ribs are welded together for strength.

Slip tested to DIN 51097.

Material: PVC

Product Height: 11.5mm ±0.5mm










Sizes	Black	Blue	Red	Grey
0.59 m x 10 m	DS010610	DS020610	DS030610	DS060610
0.59 m x per linear metre	DS010610C	DS020610C	DS030610C	DS060610C
1.2 m x 10 m	DS011210	DS021210	DS031210	DS061210
1.2 m x per linear metre	DS011210C	DS021210C	DS031210C	DS061210C


# Flexi-Deck Flexible and lightweight vinyl decking for wet environments


Flexible vinyl floor tiles that reduce slipping on wet surfaces. • Textured top surface provides grip and is comfortable to walk on barefoot. • Underside studs enhance drainage, helping to further reduce the risk of slipping. • Ideal for leisure areas, such as shower rooms and swimming pool walkways. • Material: PVC • Product Height: 13mm






Sizes	Black	Blue	Red	Green	Grey
Tile 30 cm x 30 cm (pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
Female edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
Male edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
Corner (pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004











92

# Tough Deck MK3 Recycled drainable leisure tiles

Non-slip interlocking decking for wet areas. • Combination of substantial product height and large holes offers excellent drainage. • An economical yet durable matting solution. • Easy DIY installation with connectors that conceal joins. • Ideal for leisure use, especially in shower areas and changing rooms. • Ramped edges to prevent trips are available in black or yellow. • Material: Recycled rubber and plastic • Slip

tested to DIN 51130. • Product Height:

20mm



Size	Black	Yellow
480mm x 480mm	RUBMK3	RUBMK3Y
Edging	Black	Yellow
480mm x 180mm (F)	RUBMK3RF	RUBMK3FY
480mm v 180mm (M)	RUBMK3RM	BLIBMK3BY












# Interlocking Colour PVC Tiles Easy to install Interlocking PVC tiles, perfect for a quick burst of colour

Easy DIY installation - no adhesive required. • An ideal low cost solution for refurbishing floor surfaces. • Perfect for covered recreation areas. • This product may discolour and warp if laid in areas exposed to direct sunlight. • Available in Red, Yellow, Grey or Blue. • Minimum Order Quantity 50m² (200 tiles) • Product Height: 5mm /7.2 mm

Size	Variety	Colour
500x500x5mm	5300EA	Black
500x500x5mm	5300CEA	Colour Palette
500x500x7.2mm	5300EA7	Black
500x500x7.2mm	5300CEA7	Colour Palette





# Ringmat Honeycomb Safety matting for children's play areas

Provides child fall safety for playgrounds. • Anti-slip surface reduces risks. • Perfect safety matting for outdoor areas. • Hardwearing and durable. • Appearance suits natural environment. • Can be used on flat or contoured landscapes • Suitable for all weather, extreme temperatures and resists wind uplift. • Open holes allow grass growth and provide optimal drainage. • Connectors available to link matting for larger areas. • Material: Rubber mix, including >50% recycled material. • Product Height: 23mm




Sizes	Part Code	Weight
0.4m x 0.6m	RM010011	1.80 kg
0.6m x 0.8m	RM010006	3.60 kg
1.2m x 0.8m	RM010001	7.20 kg
1.5m x 1.0m	RM010002	14.00 kg
Connector	RM010004	0.01 kg



# Fatigue-Step Safety rubber tiles for playgrounds

Interlocking rubber tile system to cover large or small areas. • Provides safety for playgrounds. • Anti-slip surface reduces risks (tested to DIN 51130). • Ideal safety matting for outdoor areas. • Durable and easy to clean. • Easy to relocate or replace. • Fits in natural environment. • Suitable for all weather, extreme temperatures and resists wind uplift • Open holes allow grass growth and provide optimal drainage. • Material: Rubber mix, including >50% recycled material. • Product Height: 14mm and 19mm



Tile Size	Black
Tile 0.9m x 0.9m 14mm	SS010006
0.9m x 0.9m 19mm	SS010001



# Varsfontein Stud Farm Paarl, South Africa

COBA Africa (Pty) Ltd has recently supplied a substantial quantity of Ringmats which have been installed at an internationally renowned Stud Farm. Varsfontein Stud is one of South Africa's leading Stud Farms consisting of over 600 horses which require quality equestrian rubber floor matting for its covering barn. The matting was supplied to Varsfontein Stud Farm via Rubba Rubba, who was also the contractor who carried out the installations.

Ringmats from COBA Africa (Pty) Ltd are manufactured from heavy-duty rubber with a luxuriously thick product height of 23mm. They are an ideal choice for demanding indoor and outdoor equestrian environments. The mats have a raised pattern, open holed top surface that provide both comfort and safety to horses. The holes provide a drainage channel and allow any debris to fall through the mat, while the raised surface gives extra grip to help horses have a safer footing. For this reason, they are also ideal for stable washdown areas.

#### Carl De Vos (General Manager):

"We recently built a new covering barn for our thoroughbred breeding operation. The rubber matting we had installed on the floor is very practical as it is hardy and handles the wear of these heavy animals. It also provides excellent grip under foot so that they don't slip. We are very happy with our choice and would recommend this matting in any equine establishment that may be looking for non-slip underfoot conditions for their horses."











#### **Product Categories**







# Get in touch with your local team today!



#### Contact us today

- +27 (0)11 452 7961
- ✓ sales@cobaafrica.com
- www.cobaafrica.com
- f COBA-Africa